

N - 3 21 5
NBS CIRCULAR 514

AD-A278 956

Table of Dielectric Constants
of Pure Liquids

DTIC
ELECTED
APR 28 1994
S G D

Library copy


DEC-11-1953

[Redacted]

UNITED STATES DEPARTMENT OF COMMERCE

NATIONAL BUREAU OF STANDARDS

DTIC 100-100-100



**Best
Available
Copy**

PERIODICALS OF THE NATIONAL BUREAU OF STANDARDS

As the principal agency of the Federal Government for fundamental research in physics, chemistry, mathematics, and engineering, the National Bureau of Standards conducts projects in fourteen fields: electricity, optics, metrology, heat and power, atomic and radiation physics, chemistry, mechanics, organic and fibrous materials, metallurgy, mineral products, building technology, applied mathematics, electronics, and radio propagation. The Bureau has custody of the national standards of measurement, and conducts research leading to the improvement of scientific and engineering standards and of techniques and methods of measurement. Testing methods and instruments are developed; physical constants and properties of materials are determined; and technical processes are investigated.

Journal of Research

Internationally known as a leading scientific periodical, the Journal presents research papers by authorities in the specialized fields of physics, mathematics, chemistry, and engineering. Complete details of the work are presented, including laboratory data, experimental procedures, and theoretical and mathematical analyses. Each of the monthly issues averages 85 two-column pages; illustrated. Annual subscription: domestic, \$5.50; foreign, \$6.75.

Technical News Bulletin

Summaries of current research at the National Bureau of Standards are published each month in the Technical News Bulletin. The articles are brief, with emphasis on the results of research, chosen on the basis of their scientific or technologic importance. Lists of all Bureau publications during the preceding month are given, including Research Papers, Handbooks, Applied Mathematics Series, Building Materials and Structures Reports, Miscellaneous Publications, and Circulars. Each issue contains 12 or more two-column pages; illustrated. Annual subscription: domestic, \$1.00; foreign, \$1.35.

Basic Radio Propagation Predictions

The Predictions provide the information necessary for calculating the best frequencies for communication between any two points in the world at any time during the given month. The data are important to all users of long-range radio communications and navigation, including broadcasting, airline, steamship, and wireless services, as well as to investigators of radio propagation and ionosphere. Each issue, covering a period of one month, is released three months in advance and contains 16 large pages, including pertinent charts, drawings, and tables. Annual subscription: domestic, \$1.00; foreign, \$1.25.

Order all publications from the Superintendent of Documents
U. S. Government Printing Office, Washington 25, D. C.

UNITED STATES DEPARTMENT OF COMMERCE • Charles Sawyer, Secretary
NATIONAL BUREAU OF STANDARDS • E. U. Condon, Director

Table of Dielectric Constants of Pure Liquids

Arthur A. Maryott and Edgar R. Smith



Accession For	
NTIS	CRA&I
DTIC	TAB
Unannounced	
Justification	
By _____	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

National Bureau of Standards Circular 514

Issued August 10, 1951

94-12769



STP DTIC QUALITY EVALUATED 3

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.
Price 50 cents

94 4 26 062

Contents

	Page
1. Introduction	III
2. Description of table	III
2.1 List of symbols	III
2.2 Standard liquids	III
2.3 Chemical formulas and the order of listing of substances	III
2.4 Estimated accuracy of the values of dielectric constant	IV
2.5 Variation of dielectric constant with temperature	IV
2.6 Literature references in table	IV
3. Table of dielectric constants	1
A. Standard liquids	7
B. Inorganic liquids	8
C. Organic liquids	15
4. Bibliography	40

Table of Dielectric Constants of Pure Liquids

Arthur A. Maryott and Edgar R. Smith

The "static" dielectric constants of more than 800 substances in the liquid state were critically examined and tabulated in concise form. The table consists of three sections: A, Standard Liquids; B, Inorganic Liquids; and C, Organic Liquids. An indication of the probable accuracy of the data is given. Wherever feasible, a simple analytical function is employed to express the variation of dielectric constant with temperature.

1. Introduction

This tabulation of the dielectric constants of pure liquids is part of a program for a critical examination of the data of physics and chemistry, sponsored by the National Bureau of Standards in cooperation with the Committee on Tables of Constants and Numerical Data of the National Research Council and the Commission on Tables of Constants of the International Union of Chemistry. The preparation of additional tables of the dielectric constants of gases, solids, aqueous and nonaqueous solutions and mixtures, and of dipole moments is in progress.

The assemblage and evaluation of the data have been made entirely at the National Bureau of Standards with the assistance of M. Eden during the preliminary stages. However, helpful suggestions from M. E. Hobbs of Duke University, C. P. Smyth of Princeton University, and the Committees of the National Research Council and International Union of Chemistry are gratefully acknowledged. The compilations of P. Debye and H. Sack (*Tables de Constantes et Données Numériques XI*, Fascicule 2, 1931-34; XII, Fascicule 32, 1935-36 and earlier volumes of *Tables Annuelles*), International Critical Tables, and Landolt-Börnstein Tabellen have been useful in checking the tables for accuracy and completeness. In several instances data have been obtained from the Tables of Dielectric Materials, volume III, prepared by the Laboratory of Insulation Research, Massachusetts Institute of Technology, Cambridge, Mass., 1948.

2. Description of the Table

The table consists of three sections: A, Standard Liquids, B, Inorganic Liquids, C, Organic Liquids. The dielectric constants are intended to be the limiting values at low frequencies, the so-called "static" values. Data obtained at such high frequencies that anomalous dispersion was evident are not included. In questionable cases the fre-

quency is given in a footnote. Temperature is the only variable considered explicitly. Usually the pressure is atmospheric or insignificantly different with respect to its effect on dielectric constant. However, where data are listed at temperatures above the normal boiling point, the pressure corresponds to the vapor pressure of the liquid unless indicated otherwise in a footnote.

2.1. List of Symbols

ϵ	= dielectric constant ($\epsilon_{\text{vacuum}} = 1$)
t	= temperature, Celsius ($^{\circ}\text{C}$)
T	= temperature, absolute ($^{\circ}\text{K}$)
a	= $-d\epsilon/dt$
α	= $-d\log_{10} \epsilon/dt$
f	= frequency of alternating current in cycles per second
t_1, t_2	= the limits of temperature between which a or α is considered applicable
mp	= melting point
bp	= boiling point

2.2. Standard Liquids

Section A contains values of the dielectric constant at selected temperatures for 10 substances that are recommended as reference liquids because of their chemical stability, availability, and the reliability of the data. The probable accuracy is estimated to be about 0.2 percent for methanol and nitrobenzene and about 0.1 percent in the remaining cases. Values of a or α are included for interpolating or for extrapolating over a limited range of temperature without materially altering the accuracy. Additional data for these substances are contained in sections B or C.

2.3. Chemical Formulas and the Order of Listing Substances

Formulas for the inorganic substances are written in the usual manner. The order of listing compounds in section B is alphabetical according to the symbols for the elements in these formulas with consideration also given to the number of atoms of each kind.

Formulas for the organic compounds are written with carbon first and hydrogen, if present, second. Symbols for all remaining elements then follow in alphabetical sequence. The arrangement of these compounds in section C is determined first by the number of carbon atoms, secondly by the number of hydrogen atoms, and finally by the symbols for the remaining elements in alphabetical order.¹

2.4. Estimated Accuracy of the Values of Dielectric Constant

Values of dielectric constant recorded in sections B and C have an estimated accuracy indicated by the number of figures retained.

(a) Values listed to four figures are considered probably accurate to 0.5 percent or better.

(b) Values listed to three figures are considered probably accurate to 2 percent or better.

(c) Values listed to two figures are considered probably less accurate than 2 percent.

However, where lack of detailed information makes any assignment of accuracy difficult or where excessive rounding off is undesirable, an additional figure is often retained which is not to be counted in determining the probable range of accuracy. Such figures are printed in smaller type as subscripts. They are also retained when significant with respect to variations of dielectric constant with temperature or to differences between isomeric or other closely related compounds in a series of measurements.

These estimates of accuracy were assigned arbitrarily after considerations of the investigators' apparatus and methods, precision, probable purity of materials, and comparisons, where possible, with the results of others.

¹ Exception is made for certain series of polymers (e. g., polysiloxanes) which may be represented by the general formula $(X)_n$ or $A(X)_nB$, where $n=1, 2, 3$, etc. The location of all compounds of such a series is determined by the formula corresponding to $n=1$.

2.5. Variation of Dielectric Constant With Temperature

Where feasible, the variation of dielectric constant with temperature is represented by one of the following equations:

$$\epsilon_t' = \epsilon_t - a(t' - t) \quad (1)$$

$$\log_{10} \epsilon_t' = \log_{10} \epsilon_t - \alpha(t' - t) \quad (2)$$

where ϵ_t , t , and a (or α if the value is followed immediately by α in parentheses) are specified in the table. Occasionally other equations are indicated in footnotes.

The range of temperature over which the equation is considered satisfactory appears under the heading t_1, t_2 . This range was chosen such that the deviations between the calculated and reported values of ϵ are not greater than one-fourth of the accuracy assigned to ϵ . Thus if ϵ is listed to four figures (discounting figures in smaller type), the equation fits the reported data to 0.13 percent or better over the specified range of temperature; and, if ϵ is listed to three figures (discounting figures in smaller type), the equation fits the data to 0.5 percent or better. Values of ϵ falling outside of this range of temperature are listed at selected temperatures.

2.6. Literature Reference in Table

All tabulated data are based on the references indicated by numbers not enclosed in brackets. The numbers refer to the bibliography following the table. Some additional references not employed for one reason or another are enclosed in brackets. These latter references are not intended to be complete with regard to data published for each substance but have been selected on the basis that they probably merit consideration in any revision of the tabulated data.

Table of Dielectric Constants of Pure Liquids

A. STANDARD LIQUIDS

		$\epsilon_{20^\circ C}$	$\epsilon_{25^\circ C}$	a (or α) [*]
C ₆ H ₁₂	Cyclohexane.....	2.023	2.015	0.0016
CCl ₄	Carbon tetrachloride.....	2.238	2.228	.0020
C ₆ H ₆	Benzene.....	2.284	2.274	.0020
C ₆ H ₅ Cl	Chlorobenzene.....	5.708	5.621	.00133 (a)
C ₂ H ₄ Cl ₂	1,2-Dichloroethane.....	10.65	10.36	.00240 (a)
CH ₄ O	Methanol.....	33.62	32.63	.00260 (a)
C ₆ H ₅ NO ₂	Nitrobenzene.....	35.74	34.82	.00225 (a)
H ₂ O	Water.....	80.37	78.54	.00200 (a)
H ₂	Hydrogen.....	1.228 at 20.4°K		.0034
O ₂	Oxygen.....	1.507 at 80.0°K		.0024

*The values of a or α given in this table are derived from data in the vicinity of room temperature and are not necessarily identical with the values listed in Parts B and C. They may be used to calculate values of dielectric constant between 15° and 30° C without introducing significant error.

(1)

B. INORGANIC LIQUIDS

Substance	ϵ	$t^{\circ}\text{C}$	a (or a) $\times 10^2$	Range t_1, t_2	References
A Argon.....	1.53 _a	-191	0.34	-191,-184	93
AlBr ₃ Aluminum bromide.....	3.38	100	0.33	100,240	226
AsBr ₃ Arsenic tribromide.....	9.0 ^a	35	17,20
AsCl ₃ Arsenic trichloride.....	12.6 ^a	20	14,17,20
AsH ₃ Arsine.....	2.50	-100	0.43	-116,-72	183 [30]
AsI ₃ Arsenic triiodide.....	7.0 ^b	150	20
BBr ₃ Boron bromide.....	2.58	0	0.28	-70,80	265
Br ₂ Bromine.....	3.09	20	0.7	0,50	64,87,226
CO ₂ Carbon dioxide.....	1.60 ^c	20	139 [10,31]
Cl ₂ Chlorine.....	2.10 ₁	-50	0.31	-65,-33	193
	1.91	14	0.32	-22,14	5,10,19
	1.7 ₃	77			
	1.5 ₄	142			
CrO ₂ Cl ₂ Chromyl chloride.....	2.6 ^a	20	17
D ₂ Deuterium.....	1.277	20°K	0.4	18.8,21.2°K	249
D ₂ O Deuterium oxide.....	78.25	25	(^d)	0.4,98	210 [135]
F ₂ Fluorine.....	1.54	-202	0.19	-216,-190	193
GeCl ₄ Germanium tetrachloride.....	2.43 ₀	25	0.240	0,55	147
HBr Hydrogen bromide.....	7.00	-85	0.26(^e)	-85,-70	137 [296]
	3.8 ^b	25	25
HCl Hydrogen chloride.....	6.35	-15	0.288(^f)	-85,-15	173
	12.	-113	101,137,193
	4.6	28	25
HF Hydrogen fluoride.....	17 ₅	-73	75
	13 ₄	-42			
	11 ₁	-27			
	84.	0			
HI Hydrogen iodide.....	3.39	-50	0.8	-51,-37	137
	2.9 ^b	22	25
H ₂ Hydrogen.....	1.228	20.4°K	0.34	14,21°K	47,58,220,229,249
H ₂ O Water.....	78.54	25	(^g)	0,100	89,99,210,218 [50a, 105,112,118,264]
	-	-			
	34.5 ₉	200	(^g)	100,370	284
H ₂ O ₂ Hydrogen peroxide.....	84.2	0	(^g)	-30,20	291 [119]

^a $f = 4 \times 10^8$ cycles/sec.

^b $f = 3.6 \times 10^8$ cycles/sec.

^c At pressure of 50 atmospheres.

^d $\epsilon = 78.25 [1 - 4.617(10^{-3})(t - 25) + 1.22(10^{-5})(t - 25)^2 - 2.7(10^{-8})(t - 25)^3]$; av. dev. $\pm 0.04\%$.

^e $\epsilon = 78.54 [1 - 4.579(10^{-3})(t - 25) + 1.19(10^{-5})(t - 25)^2 - 2.8(10^{-8})(t - 25)^3]$; av. dev. $\pm 0.03\%$.

^f $\epsilon = 5321/T + 233.76 - 0.9297T + 0.001417T^2 - 0.0000008292T^3$.

^g $\epsilon = 84.2 - 0.62t + 0.0032t^2$.

B. INORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
H_2S	9.26	-85.5	152
	9.05	-78.5	165
He	1.055 _a	2.06°K	46,72,73 [290]
	1.055 _a	2.30 ^f	
	1.055 _a	2.63	
	1.053 _a	3.09	
	1.051 _a	3.58	
	1.048	4.19	
I_2	11.1	118	117
	11.7	140	
	13.0	168	
NH_3	25.	-77.7	152
	22.4	-33.4	144
	18.9	5	175
	17.8	15	
	16.9	25	
	16.3	35	
NOBr	Nitrosyl bromide.....	13.4	15	252
NOCl	Nitrosyl chloride.....	18.2	12	252
N_2	Nitrogen.....	1.454	-203	0.29 -210,-195	54,205,229 [93]
N_2H_4	Hydrazine.....	52.9	20	0.21(α) 0.25	123
N_2O	Dinitrogen oxide.....	1.97	-90	11,93
		1.61	0	0.6 -6,14	5
N_2O_4	Dinitrogen tetroxide.....	2.5 _b	15	20
O_2	Oxygen.....	1.507	-193	0.24 -218,-183	59,193,224
P	Phosphorus.....	4.10	34	126 [20]
		4.06	46	
		3.86	85	
PBr_3	Phosphorus tribromide.....	3.9 _b	20	20
PCl_3	Phosphorus trichloride.....	3.43	25	0.84 17,60	120 [14,20,26]
PCl_5	Phosphorus pentachloride.....	2.8 _a	160	120 [108]
PH_3	Phosphine.....	2.5 _b	-60	28
		2.7 _b	-25	
PI_3	Phosphorus triiodide.....	4.1 _b	65	20
POCl_3	Phosphoryl chloride.....	13.3	22	14,26
PSCl_3	Thiophosphoryl chloride.....	5.8	22	26
PbCl_4	Lead tetrachloride.....	2.78	20	65

^b $f = 3.6 \times 10^8$ cycles/sec.^f Liquid transition and discontinuity in variation of dielectric constant with temperature at 2.295°K.

Values reported in reference 290 agree closely with those listed.

B. INORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or a') $\times 10^2$	Range t_1-t_2	References
Sulfur.....	3.52 3.48	118 231	(s)	125 [95]
SOBr_3	9.06	20	3.0	at 20	203
SOCl_2	9.25	20	3.9	at 20	203 [14]
SO_2	Sulfur dioxide.....	17.6 15.0 ^a 14.1 2.1 ^b	-20 0 20 154 ^b	0.287(a) 7.7	-65,-15 14,140 5,10,15 [14]
SO_3	Sulfur trioxide.....	3.11	18	197 [14]
S_2Cl_2	Sulfur monochloride.....	4.79	15	0.146(a)	-41,15 92 [14,26]
SO_2Cl_2	Sulfuryl chloride.....	10.0	22	26 [14,17]
SbBr_3	Antimony tribromide.....	20. ^a ^b	100	20
SbCl_3	Antimony trichloride.....	33. ^b	75	14
SbCl_5	Antimony pentachloride.....	3.22	20	0.46	2,47 108 [14]
SbH_3	Stibine.....	2.9. ^b 2.5. ^b	-80 -50	28
SbI_3	Antimony triiodide.....	13. ^a ^b	175	20
Se	Selenium.....	5.40	250	0.25	237,301 209
SiCl_4	Silicon tetrachloride.....	2.40	16	20
SnCl_4	Tin tetrachloride.....	2.87	20	0.30	-30,20 65,124 [14,22,26]
TiCl_4	Titanium tetrachloride.....	2.80	20	0.20	-20,20 65,124 [22]
VCl_4	Vanadium tetrachloride.....	3.0. ^b	25	33
VOBr_3	Vanadium oxybromide.....	4.4. ^b 3.6. ^b	-70 25	33
VOCl_3	Vanadium oxychloride.....	3.4. ^b	25	33

^a $f = 3.6 \times 10^6$ cycles/sec.^b Graphical data in the range 118° – 350°C show a minimum near 160° and a broad maximum near 200° .^c Critical temperature.

C. ORGANIC LIQUIDS

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
C₁					
CCl ₂ O	Phosgene.....	4.7 ₂ ^b 4.3 ₄ ^b	0 22	52
CCl ₄	Carbon tetrachloride.....	2.238	20	0.200 -10, 60	146, 169, 233, 240a, 245, 292
CN ₄ O ₈	Tetranitromethane.....	2.52 ₁	25	225 [26]
CO ₂	Carbon dioxide.....	1.60 ₄ ^c	0	139 [10, 31]
CS ₂	Carbon disulfide.....	2.641 3.001 2.19	20 -110 180	0.268 -90, 130	16, 146, 188, 196, 204, 240a, 292 [80, 200, 207]
CHBr ₃	Bromoform.....	4.39	20	0.105(α)	97, 156, 160
CHCl ₃	Chloroform.....	4.806 6.76 6.12 5.61 3.7 ₁ 3.3 ₃ 2.9 ₃	20 -60 -40 -20 100 140 180	0.160(α)	85, 146, 169 70, 94, 187 [36, 80] 16
CN	Hydrocyanic acid.....	158. ₁ 114. ₉	0 20	(γ) 0.63(α)	-13, 18 18, 26
CH ₂ Br ₂	Dibromomethane.....	7.77 6.68	10 40	97
CH ₂ Cl ₂	Dichloromethane.....	9.08	20	(γ)	-80, 25
CH ₂ I ₂	Diiodomethane.....	5.32	25	97 [12]
CH ₂ O ₂	Formic acid.....	58.5 ^a	16	7 [4, 27]
CH ₃ Br	Bromomethane.....	9.82	0	(κ)	-80, 0
CH ₃ Cl	Chloromethane.....	12.6	-20	(γ)	-70, -20
CH ₃ I	Iodomethane.....	7.00	20	(κ)	-70, 40
CH ₃ NO	Formamide.....	109.	20	72.	18, 25
CH ₃ NO ₂	Nitromethane.....	35.8 ₇	30	0.189(α)	12.92
CH ₃ NO ₃	Methyl nitrate.....	23.6 ^b	18	14
CH ₄	Methane.....	1.70	-173	0.2	-181, -159
CH ₄ O	Methanol.....	32.63 64. 54. 40.	25 -113 -80 -20	0.264(α)	93 218, 264 [78, 112, 207] 9

^a $f = 4 \times 10^8$ cycles/sec.

^j $\epsilon = (3320/T) - 2.24$

^b $f = 3.6 \times 10^8$ cycles/sec.

^k $\epsilon = (3320/T) - 2.34$

^c At pressure of 50 atmospheres.

^l $\epsilon = 12.6 - 0.061 (t + 20) + 0.0005 (t + 20)^2$

¹ $\log_{10} \epsilon = 2.199 - 0.0079 t + 0.00005 t^2$

^m $\epsilon = (2160/T) - 0.39$

C. ORGANIC LIQUIDS—Continued

Substance		ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
CH_3N	Methylamine.....	11.4 9.4	10 25	0.26(α)	-30, -10	123 268
	C_2					
$\text{C}_2\text{Cl}_2\text{O}_2$	Oxalyl chloride.....	3.47	21	107
C_2Cl_4	Tetrachloroethylene.....	2.30	25	0.20	25, 90	100, 196, 279 [74]
C_2N_2	Cyanogen.....	2.5 ₂	23	14
$\text{C}_2\text{HBr}_3\text{O}$	Bromal.....	7.6 ⁿ	20	27
C_2HCl_3	Trichloroethylene.....	3.4 ₂	ca 16	45
$\text{C}_2\text{HCl}_3\text{O}$	Chloral.....	4.9 ₄ 7.6 4.2	20 -40 62	0.17(α)	15, 45	44 [4, 7]
$\text{C}_2\text{HCl}_3\text{O}_2$	Trichloroacetic acid.....	4.6	60	26
C_2HCl_5	Pentachloroethane.....	3.73	20	45, 57, 156
$\text{C}_2\text{HF}_3\text{O}_2$	Trifluoroacetic acid.....	39. ₅ 26. ₂	20 -11	-50.	0.28	297
$\text{C}_2\text{H}_2\text{BrCl}$	cis-1-Bromo-2-chloroethylene...	7.3 ₁	17	49
	trans-1-Bromo-2-chloroethylene	2.5 ₀	17	49
$\text{C}_2\text{H}_2\text{Br}_2$	cis-1,2-Dibromoethylene.....	7.7 ₂ 7.0 _n	0 25	148 [49]
	trans-1,2-Dibromoethylene....	2.9 ₇ 2.8 _n	0 25	148 [49]
$\text{C}_2\text{H}_2\text{Br}_2\text{O}$	Bromoacetyl bromide.....	12.4 [*]	20	17
$\text{C}_2\text{H}_2\text{Br}_4$	1,1,2,2-Tetrabromoethane....	8.6 7.0	3 22	26
$\text{C}_2\text{H}_2\text{Cl}_2$	1,1-Dichloroethylene.....	4.6 ₇	16	49
	cis-1,2-Dichloroethylene....	9.20	25	227 [45, 48, 49, 148]
	trans-1,2-Dichloroethylene...	2.14	25	196, 227 [45, 48, 49, 148]
$\text{C}_2\text{H}_2\text{Cl}_2\text{O}_2$	Dichloroacetic acid.....	8.2 7.8	22 61	26 [27]
$\text{C}_2\text{H}_2\text{Cl}_4$	1,1,2,2-Tetrachloroethane....	8.2 ₀	20	53 [45, 57]
C_2Hal_2	cis-1,2-Diodoethylene.....	4.4 _n	83	48
	trans-1,2-Diodoethylene.....	3.1 ₉	83	48
$\text{C}_2\text{H}_3\text{BrO}$	Acetyl bromide.....	16. ₂ [*]	20	17

^{*} $f = 4 \times 10^8$ cycles/sec.ⁿ $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1, t_2	References	
$\text{C}_2\text{H}_3\text{ClO}$ Acetyl chloride.....	16. ₉ 15. ₈	2 22	26 [7, 17]	
$\text{C}_2\text{H}_3\text{ClO}_2$ Chloroacetic acid.....	12.3	60	2.	60, 80	123 [181]	
$\text{C}_2\text{H}_3\text{Cl}_3$ 1,1,1-Trichloroethane.....	7.1 ₀ 7.5 ₂	0 20	3.6	-33, 2	234 156	
$\text{C}_2\text{H}_3\text{N}$ Acetonitrile.....	37.5 26. ₆	20 82	16.	15, 25	13, 26, 41, 123	
$\text{C}_2\text{H}_3\text{NO}$ Glycolonitrile.....	68. ^a	20	17	
$\text{C}_2\text{H}_3\text{NS}$ Methyl thiocyanate.....	35. ^a	16	17, 18, 22	
	Methyl isothiocyanate.....	19.3 ^a	38	17, 18, 22	
$\text{C}_2\text{H}_4\text{BrCl}$ 1-Bromo-2-chloroethane.....	7.14 7.98	20 -10	0.140(α)	10, 90	110	
$\text{C}_2\text{H}_4\text{Br}_2$ 1,2-Dibromoethane.....	4.78 4.09	25 131	0.60	10, 55	12, 144, 156, 199, 272 41	
$\text{C}_2\text{H}_4\text{Cl}_2$ 1,1-Dichloroethane.....	10.0	18	1, 27	
	1,2-Dichloroethane.....	10.65 10.36 10.3 ₆ ^x 12.7	20 25 25 -10 0.235(α) 10, 55	138, 170, 263 123, 133, 254, 272
$\text{C}_2\text{H}_4\text{N}_2\text{O}_4$ Ethylene nitrate.....	28. ₃	20	244	
$\text{C}_2\text{H}_4\text{O}$ Ethylene oxide.....	13. ₉	-1	26	
	Acetaldehyde.....	21. ₈ ^a 21.1 ^a	10 21	7 [4]
$\text{C}_2\text{H}_4\text{OS}$ Ethanethiolic acid..... (Thioacetic acid)	13. ^a	20	17 [18]	
$\text{C}_2\text{H}_4\text{O}_2$ Acetic acid.....	6.15 6.29 6.62	20 40 70	96, 207 [7, 181]	
	Methyl formate.....	8.5	20	5.	0, 20	7, 26
$\text{C}_2\text{H}_5\text{Br}$ Bromoethane.....	9.39 16.1 13.6	20 -90 -60	0.196(α)	-30, 30	34, 70, 94, 127, 272 [207, 228]	
$\text{C}_2\text{H}_5\text{Cl}$ Chloroethane.....	6.2 ₉ 6.0 ₈ 5.1 ₃ 4.6 ₉	170 179 183 185.5 ^b	15	
$\text{C}_2\text{H}_5\text{ClO}$ 2-Chloroethanol..... (Ethylene chlorohydrin)	25. ₈ 13. ₂	25 132	41	

^a $f = 4 \times 10^6$ cycles/sec.^b Critical temperature.

* Value chosen to conform with the remainder of the tabulated data for this substance.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_2\text{H}_5\text{I}$	7.82	20	0.150(α)	-20, 70	81, 207 [7, 12, 160]
	12.3	-90			
	10.2	-50			
$\text{C}_2\text{H}_5\text{NO}$	59.*	83	17
	23	26 [17, 27]
$\text{C}_2\text{H}_5\text{NO}_2$	28.0*	30	11.4	30, 35	295 [14]
$\text{C}_2\text{H}_5\text{NO}_3$	19.*	20	9.	0, 50	7, 17, 26 [4, 14]
$\text{C}_2\text{H}_5\text{N}_2\text{O}$	53.*	20	17
	24.30	25	111, 174
$\text{C}_2\text{H}_6\text{O}$	24.3*	25	0.270(α)	-5, 70	111, 112, 207
	41.0*	-60	0.297(α)	-110, -20	81 [9]
	5.02	25	2.38	25, 100	161
	2.97	110			
	2.64	120			
	2.37	125			
$(\text{C}_2\text{H}_6\text{OSi})_n$	2.26	126.1			
	1.90	127.6 ^P			
$n = 4$	Octamethylcyclotetrasiloxane..	2.39	20	266
	Decamethylcyclopentasiloxane	2.50	20	266
	Dodecamethylcyclohexasiloxane	2.59	20	266
	Tetradecamethylcycloheptasiloxane	2.68	20	266
	Hexadecamethylcyclooctasiloxane	2.74	20	266
$\text{C}_2\text{H}_6\text{O}_2$	Glycol. (Ethylene)	37.7	25	0.224(α)	20, 100
$\text{C}_2\text{H}_6\text{O}_4\text{S}$	Methyl sulfate.....	60.2	-30	122 [17, 26, 43]
		48.9	0	
		42.6	20	
$\text{C}_2\text{H}_6\text{S}$	Ethanethiol.....	6.91	15	236
	Methyl sulfide.....	6.2*	20	17
$\text{C}_2\text{H}_7\text{N}$	Ethylamine.....	6.94	10	(α)	-20, 10
	Dimethylamine.....	6.32	0	123 [14]
$\text{C}_2\text{H}_8\text{N}_2$	1,2-Ethanediamine.....	5.26	25	268
		14.2	20	10.	199

* $f = 4 \times 10^8$ cycles/sec.° $\epsilon = 6.94 - 0.036(t-10) + 0.0004(t-10)^2$

P Critical temperature = 126.9°C.

* Value chosen to conform with the remainder of the tabulated data for this substance.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
C₃					
C ₃ H ₂ N ₂ Malononitrile.....	46. ^b	36	18
C ₃ H ₄ Cl ₂ O 1,1-Dichloro-2-propanone.....	14. ⁿ	20	27
C ₃ H ₅ Br 3-Bromo-1-propene.....	7.4	1	26
	7.0	19	
C ₃ H ₅ BrO ₂ α -Bromopropionic acid.....	11.0 ⁿ	21	27
C ₃ H ₅ Br ₃ 1,2,3-Tribromopropane.....	6.45	20	244
C ₃ H ₅ Cl 3-Chloro-1-propene.....	8.7	1	26 [27]
	8.2	20	
C ₃ H ₅ ClM ₂ O ₆ 3-Chloro-1,2-propanediol dinitrate	17. ^s	20	244
C ₃ H ₅ ClO 1-Chloro-2-propanone.....	30. ⁿ	19	27
	25. ⁿ	1	26 [27]
	22. ^s	22	
C ₃ H ₅ ClO ₂ Ethyl chloroformate.....	11.0 ^s	20	17 [27]
	12.0 ⁿ	21	27
C ₃ H ₅ Cl ₂ NO ₃ 1,3-Dichloro-2-propanol nitrate	13.3	20	244
C ₃ H ₅ Cl ₃ 1,2,3-Trichloropropane.....	7.5 ⁿ	20	27
C ₃ H ₅ I 3-Iodo-1-propene.....	6.1 ⁿ	19	27
C ₃ H ₅ N Propionitrile.....	31.0	0	13,17,26
	27.2	20	
	24.3	50	
C ₃ H ₅ NO Lactonitrile.....	38. ^s	20	17
C ₃ H ₅ NS Ethyl thiocyanate.....	34.5	3	26 [17,18,22]
	29. ^s	21	
	23.4	2	26 [17,18,22]
C ₃ H ₅ N ₃ O ₉ 1,2,3-Propanetriol trinitrate (Nitroglycerin)	19. ^s	20	244
	1.87 ₅	20	
C ₃ H ₆ Propene.....	1.79 ₅	45	161
	1.69 ₀	65	
	1.53 ₀	85	
	1.44 ₁	90	
	1.33 ₁	91.9 ^b	
	4.3 ⁿ	20	27

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.ⁿ Critical temperature.^s $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_3\text{H}_6\text{Cl}_2$	1,2-Dichloropropane.....	8.93	26	107
	2,2-Dichloropropane.....	10.1 ^a	20	0.247(α)	-33,20 234
$\text{C}_3\text{H}_6\text{N}_2\text{O}_6$	1,2-Propanediol dinitrate....	26. ₈	20	244
	1,3-Propanediol dinitrate....	19. ₀	20	244
$\text{C}_3\text{H}_6\text{O}$	2-Propen-1-ol (Allyl alcohol)	21. ₆	15	7 [27]
	Acetone.....	20.7 ₀	25	0.205(α)	-60,40 35,240,274 ,207]
		17.7	56	
	Propionaldehyde.....	18. ₅ ^b	17	7 [4]
$\text{C}_3\text{H}_6\text{O}_2$	Propionic acid.....	3.30	10	149 [1,7,27]
		3.44	40		
	Ethyl formate.....	7.1 ₈	25	160 [1,7]
	Methyl acetate.....	6.68	25	2.2	25,40 63,260
$\text{C}_3\text{H}_6\text{O}_3$	dL-Lactic acid.....	22.	17	4,8 [7]
$\text{C}_3\text{H}_7\text{Br}$	1-Bromopropane.....	8.09	25	3.35	1,55 272
	2-Bromopropane.....	9.46	25	4.40	1,55 272
		16.1	-85	211
$\text{C}_3\text{H}_7\text{Cl}$	1-Chloropropane.....	7.7 ^c	20	27
$\text{C}_3\text{H}_7\text{ClO}_2$	3-Chloro-1,2-propanediol....	37.	3	26
		31.	19		
$\text{C}_3\text{H}_7\text{I}$	1-Iodopropane.....	7.00	20	242
	2-Iodopropane.....	8.19	20	242
$\text{C}_3\text{H}_7\text{NO}_2$	1-Nitropropane.....	23.2 ₄	30	10.1	30,35 295
	2-Nitropropane.....	25.5 ₂	30	10.9	30,35 295
	Ethyl carbamate (Urethan)....	14.2	50	5.2	50,70 123 [14]
	Isopropyl nitrite.....	12. ^b	19	14
$\text{C}_3\text{H}_7\text{NO}_3$	Propyl nitrate.....	13. ₉ ^b	18	14
C_3H_8	Propane.....	1.61	0	0.20	-90,15 172
$\text{C}_3\text{H}_8\text{O}$	1-Propanol.....	20.1	25	0.293(α)	20,90 112,222,279 [41,51,157,177] 9
		38.	-80	
		29.	-34	
	2-Propanol.....	18.3	25	0.310(α)	20,70 112,222 [157]

^a $f = 4 \times 10^6$ cycles/sec.^b $f = 3.6 \times 10^6$ cycles/sec.^c $f = 5 \times 10^6$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_3\text{H}_6\text{O}_2$	1,2-Propanediol.....	32.0	20	0.27(a) at 20	232 [142]
	1,3-Propanediol.....	35.0	20	0.23(a) at 20	232
	2-Methoxyethanol.....	16.0	30	261 [115]
	Dimethoxymethane (Methylal) ..	2.7 ^a	20	17
$\text{C}_3\text{H}_8\text{O}_3$	Glycerol.....	42.5	25	0.208(a)	0,100 40,112,185 [38,103,142,177]
$\text{C}_3\text{H}_9\text{BO}_3$	Trimethylborate.....	8.0 ^a	20	17
$\text{C}_3\text{H}_9\text{N}$	Isopropylamine.....	5.5 ^b	20	14
	Trimethylamine.....	2.44	25	0.52	0,25 268 [14]
C_4					
C_4Cl_6	Hexachloro-1,3-butadiene.....	2.55	25	279
$\text{C}_4\text{H}_2\text{O}_3$	Maleic anhydride.....	50. ^a	60	17
$\text{C}_4\text{H}_4\text{N}_2$	Succinonitrile.....	56.5	57.4	199 [14,17]
		53.6	67.7	
		52.3	78.2	
	Pyrazine.....	2.80	50	153
$\text{C}_4\text{H}_4\text{O}$	Furan.....	2.95	25	121
$\text{C}_4\text{H}_4\text{S}$	Thiophene.....	2.76	16	12,283 [18]
$\text{C}_4\text{H}_5\text{Cl}_3\text{O}$	α,α,α -Trichlorobutyraldehyde (Butyl chloral)	10.0 ["]	18	27
$\text{C}_4\text{H}_5\text{Cl}_3\text{O}_2$	Ethyl trichloroacetate.....	7.8	20	2.8	2,60 26
$\text{C}_4\text{H}_5\text{N}$	Crotononitrile ^a (bp 108°C) ...	36.1	ca 20	48
	Crotononitrile ^a (bp 122°C) ...	28.1	ca 20	48
	Pyrrole.....	7.48	18	171
$\text{C}_4\text{H}_5\text{NO}_2$	Methyl cyanoacetate.....	28.8 ^a	20	17
$\text{C}_4\text{H}_6\text{NS}$	Allyl isothiocyanate.....	17.2 ^b	18	18,22
$\text{C}_4\text{H}_6\text{Cl}_2\text{O}_3$	Ethyl dichloroacetate.....	11.6	2	26
		10.3	22	
$\text{C}_4\text{H}_6\text{O}$	Vinyl ether.....	3.94	20	121
	Ethoxyacetylene.....	8.05	25	257
$\text{C}_4\text{H}_6\text{O}_3$	Acetic anhydride.....	22.4	1	26 [17,27,166]
		20.7	19	

^a $f = 4 \times 10^6$ cycles/sec.^b $f = 3.6 \times 10^6$ cycles/sec.["] $f = 5 \times 10^6$ cycles/sec.^a cis-trans isomers.

192 196 °C
186 0 °C
181 °C
171 °C

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_4\text{H}_7\text{Br}$	1-Bromo-1-butene ^a (bp 95°C)...	5.8 _a	ca 20	48
	1-Bromo-1-butene ^a (bp 86°C)...	5.0 _a	ca 20	48
	2-Bromo-2-butene ^a	6.7 _a	ca 20	48
	2-Bromo-2-butene ^a	5.3 _a	ca 20	48
$\text{C}_4\text{H}_7\text{BrO}_2$	α -Bromobutyric acid.....	7.2 ^b	20	27
$\text{C}_4\text{H}_7\text{ClO}_2$	Propyl chloroformate.....	11.2 ^b	20	27
	Ethyl chloroacetate.....	11.4 ^b	21	27
$\text{C}_4\text{H}_7\text{N}$	Butyronitrile.....	20. _a ^b	21	13
	Isobutyronitrile.....	20. _a ^b	24	13
$\text{C}_4\text{H}_8\text{Br}_2$	meso-2,3-Dibromobutane.....	6.24 _a	25	238 [184]
	dL-2,3-Dibromobutane.....	5.75 _a	25	238 [184]
	1,2-Dibromo-2-methylpropane..	4.1 ^b	20	27
	1,4-Dichlorobutane.....	8.90	25	3.07	1,55
$\text{C}_4\text{H}_8\text{Cl}_2$	1,2-Dichloro-2-methylpropane	14.0 10.8 8.71 7.22	-100 -60 -20 20	247
	β,β' -Dichlorodiethylether...	21.2	20	156
$\text{C}_4\text{H}_8\text{M}_2\text{O}_6$	1,3-Butanediol dinitrate....	18. _a	20	244
	2,3-Butanediol dinitrate....	28. _a	20	244
$\text{C}_4\text{H}_8\text{O}$	2-Butanone.....	18.5 _a	20	0.207(α) -60,60	240 [41,84,123]
	Butyraldehyde.....	13.4 10.8	26 77	41
$\text{C}_4\text{H}_8\text{O}_2$	Butyric acid.....	2.97	20	-0.23	10,70
	Isobutyric acid.....	2.71 2.73	10 40	149 [2,7]
	Propyl formate.....	7.7 _a ^b	19	7 [1]
	Ethyl acetate.....	6.02 5.3 _a	25 77	1.5 at 25	8,63,276
	Methyl propionate.....	5.5 ^b	19	27
	1,4-Dioxane.....	2.209	25	0.170	20,50
	β -Hydroxyethyl acetate (Glycol monoacetate)	13. _a	30	144,156,196,230,231, 240a,258,271,276
					261

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.^c $f = 5 \times 10^8$ cycles/sec.^a cis-trans isomers.^b Br and CH_3 trans.^c Br and CH_3 cis.

C. ORGANIC LIQUIDS—Continued

Substance		ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_4\text{H}_9\text{Br}$	1-Bromobutane.....	7.07	20	0.150(α)	10, 90	97, 243, 272
		11.1	-90			
		9.26	-50			
		7.88	-10			
	1-Bromo-2-methylpropane.....	7.18	25	2.8	1, 55	272
	2-Bromobutane.....	8.64	25	3.30	1, 55	272
	2-Bromo-2-methylpropane.....	10.1 _s	25	5.20	-15, 55	213, 243, 272
		12.2	-90			
		9.94	-50			
		9.07	-30			
$\text{C}_4\text{H}_9\text{Cl}$	1-Chlorobutane.....	7.39	20	0.173(α)	-10, 70	97, 242
		12.2	-90			
		9.94	-50			
		9.07	-30			
	1-Chloro-2-methylpropane.....	12.2	-120	247
		10.1	-89	
		7.87	-38	
		6.49	14	
	2-Chloro-2-methylpropane.....	10.9 _s	0	0.225(α)	-23, 30	109, 213
		6.22	20	0.135(α)	0, 80	41, 97, 242
$\text{C}_4\text{H}_9\text{I}$	1-Iodobutane.....	8.89	-80	
		7.53	-40	
		4.52	130	
	1-Iodo-2-methylpropane.....	6.47	20	242
	2-Iodopropane.....	7.87	20	242
$\text{C}_6\text{H}_9\text{NO}$	2-Butanone oxime.....	3.4 ^a	20	27
	Morpholine.....	7.33	25	225
	Butyl nitrate.....	13.1	20	244
	Isobutyl nitrate.....	11.7 ^b	19	14
$\text{C}_4\text{H}_{10}\text{Mg}$	Diethyl mercury.....	2.3	23	17, 22
$\text{C}_4\text{H}_{10}\text{O}$	1-Butanol.....	17.8	20	0.300(α)	-40, 20	81, 222, 278
		17.1	25	0.335(α)	25, 70	279
		8.2	118	41
	2-Methyl-1-propanol.....	17.7	25	0.377(α)	20, 90	12, 85, 103, 112, 222
		34.	-80	9
		26.	-34	
	2-Butanol.....	15.8	25	222

^a $f = 3.6 \times 10^8$ cycles/sec.^b $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_4\text{H}_{10}\text{O}-\text{Con.}$					
2-Methyl-2-propanol.....	10.9 8.49 6.89	30 50 70	109 [43, 112, 142, 157, 261]
Ethyl ether.....	4.335 4.34 ^x	20 20	2.0 0.217(α)	at 20 -40, 30	12, 35, 62, 96, 251 207 [36, 80, 143, 187]
	10.4	-116	180
	3.97 2.1 ₂ 1.8 ₉ 1.5 ₃	40 180 190 193.3 ^b	0.170(α)	40, 140	16 [15, 19, 79]
$\text{C}_6\text{H}_{10}\text{O}_2$	1,4-Butanediol.....	32.9 30.2	15 30	236
$\text{C}_6\text{H}_{10}\text{O}_2$	1,1-Dimethoxyethane.....	3.49	20	298
$\text{C}_6\text{H}_{10}\text{O}_3\text{S}$	Ethyl sulfite.....	17.5 15.9 13.7	1 20 50	26
$\text{C}_6\text{H}_{10}\text{O}_4$	Erythritol (1,2,3,4- Butanetetrol)	28.2	120	131, 142
$\text{C}_6\text{H}_{10}\text{O}_4\text{S}$	Ethyl sulfate.....	29.2	20	0.24(α)	-25, 20 122
$\text{C}_6\text{H}_{10}\text{S}$	1-Butanethiol.....	4.95 4.59	25 50	140
	Ethyl sulfide.....	5.72 5.24	25 50	140
$\text{C}_6\text{H}_{10}\text{Zn}$	Diethyl zinc.....	2.5 ₈	20	132
$\text{C}_6\text{H}_{11}\text{N}$	Butylamine.....	5.3 ^b	21	14
	Isobutylamine.....	4.4 ^b	21	14
	Diethylamine.....	3.6 ^b	22	14, 22
$\text{C}_6\text{H}_{12}\text{O}_4\text{Si}$	Tetramethyl silicate.....	6.0 ^b	ca 20	22
C_5					
C_5FeO_5	Iron pentacarbonyl.....	2.60	20	114
$\text{C}_5\text{H}_4\text{O}_2$	Furfural.....	46.9 41.9 34.9	1 20 50	26 [7]
$\text{C}_5\text{H}_5\text{N}$	Pyridine.....	12.3 9.4	25 116	51, 53, 159 [166] 41
$\text{C}_6\text{H}_7\text{NO}_2$	Ethyl cyanoacetate.....	26. ₉	20	7, 17, 26
	α -Cyanoethyl acetate.....	18. ₉ ^x	20	17

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.^c Critical temperature.^x Value chosen to conform with the remainder of the tabulated data for this substance.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^3$	Range t_1, t_2	References
C_5H_8	1,3-Pentadiene ^c	2.32	25	104, 130
	2-Methyl-1,3-butadiene..... (Isoprene)	2.10	25	0.24 -75, 25	129
$\text{C}_5\text{H}_8\text{O}$	Cyclopentanone.....	16.3	-51	237
$\text{C}_5\text{H}_8\text{O}_2$	2,4-Pentanedione..... (Acetylacetone)	25.7 ^a	20	7, 17, 18
$\text{C}_5\text{H}_8\text{O}_4$	Dimethyl malonate.....	10.3 ^a	20	17 [27]
$\text{C}_5\text{H}_9\text{BrO}_2$	α -Bromoisovaleric acid.....	6.5 ⁿ	20	27
	Ethyl α -bromopropionate.....	10.0 9.3	2 22	26 [27]
$\text{C}_5\text{H}_9\text{ClO}_2$	Isobutyl chloroformate.....	9.1 ⁿ	20	27
	Ethyl α -chloropropionate....	10.1 ⁿ	20	27
$\text{C}_5\text{H}_9\text{I}_2\text{O}_2$	Ethyl β -iodopropionate.....	8.6 ⁿ	20	27
$\text{C}_5\text{H}_9\text{N}$	Valeronitrile.....	17.4 ^b	21	13
	Isovaleronitrile.....	18.0 ^b	22	13
C_5H_{10}	1-Pentene.....	2.100	20	248 [151]
	2-Methyl-1-butene.....	2.197	20	248
	Cyclopentane.....	1.965	20	248
	Ethylcyclopropane.....	1.933	20	248
$\text{C}_5\text{H}_{10}\text{Br}_2$	1,2-Dibromopentane.....	4.39	25	150
	<i>dL</i> -erythro-2,3-..... Dibromopentane	5.43 ₀	25	238 [150]
	<i>dL</i> -threo-2,3-..... Dibromopentane	6.50 ₇	25	238
	Cyclopentanol.....	18.0 25.6	20 -20	0.38(α)	232 237
$\text{C}_5\text{H}_{10}\text{O}$	2-Pantanone.....	15.4 ₃ 22.0	20 -60	0.195(α) -40, 80	240 [7, 84]
	3-Pantanone.....	17.0 ₀ 19.4 19.8	20 -20 -40	0.225(α) 0, 80	240 [7, 84]
	Valeraldehyde.....	10.1 ^a	17	7 [4]
	Valeric acid.....	2.6 ₆	20	2, 7, 27
$\text{C}_5\text{H}_{10}\text{O}_2$	Isovaleric acid.....	2.6 ₄	20	7

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.ⁿ $f = 5 \times 10^8$ cycles/sec.^c Mixture of *cis-trans* isomers.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_5\text{H}_{10}\text{O}_3$ —Con.					
Isobutyl formate.....	6.4 ₁ ^a	19	7 [1]
Propyl acetate.....	5.69	19	0.8	at 19	7, 8 [27]
Ethyl propionate.....	5.65	19	1.8	at 19	7, 8
Methyl butyrate.....	5.6 ^a	20	27
$\text{C}_5\text{H}_{10}\text{O}_3$	Diethyl carbonate.....	2.82	20	298 [7, 22]
$\text{C}_5\text{H}_{11}\text{Br}$	I-Bromopentane.....	6.32	25	0.152(α)	-45, 55
		9.90	-90		211, 272
	I-Bromo-3-methylbutane.....	6.05	20	2.3	-18, 23
		10.2	-107		212
		8.04	-56		
		4.70	120.6	41
	2-Bromo-2-methylbutane.....	9.1 ^a	19	27
$\text{C}_5\text{H}_{11}\text{Cl}$	I-Chloropentane.....	6.6	11	2
	I-Chloro-3-methylbutane.....	6.05	20	0.160(α)	-40, 23
		10.0	-100		247
		8.53	-70		
	2-Chloro-2-methylbutane.....	12.3	-50	0.32(α)	-77, -50
		9.3	16	2 [27]
$\text{C}_5\text{H}_{11}\text{F}$	I-Fluoropentane.....	4.24	20	243
	2-Fluoro-2-methylbutane.....	5.89	20	243
$\text{C}_5\text{H}_{11}\text{I}$	I-Iodopentane.....	5.81	20	242
	I-Iodo-3-methylbutane.....	5.6 ^a	19	27
	3-Iodopentane.....	7.43	20	242
	2-Iodo-2-methylbutane.....	8.19	20	242
$\text{C}_5\text{H}_{11}\text{N}$	Piperidine.....	5.8 ^b	22	14
$\text{C}_5\text{H}_{11}\text{NO}$	2-Pentanone oxime.....	3.3 ^a	20	27
$\text{C}_5\text{H}_{11}\text{NO}_3$	Amyl nitrate..... (bp 140-145°C)	9.0 ^a	18	22
C_5H_{12}	n-Pentane.....	1.844	20	0.160	-50, 30
		2.011	-90		88
		1.984	-70		
	2-Methylbutane.....	1.843	20	196

^a $f = 4 \times 10^6$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.^c $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^3$	Range t_1-t_2	References
$\text{C}_6\text{H}_{12}\text{O}$	1-Pentanol.....	13.9	25	0.23(α)	15,35 142,177,222 [9]
	3-Methyl-1-butanol.....	14.7	25	41,51,63,276
		5.8 ₂	132	
	2-Methyl-2-butanol.....	5.82	25	51,85,276 [261]
$\text{C}_6\text{H}_{12}\text{O}_5$	Xylitol.....	40.	20	131,142
$\text{C}_6\text{H}_{12}\text{S}$	1-Pantanethiol.....	4.55	25	140 [14,18]
		4.23	50	
$\text{C}_6\text{H}_{12}\text{S}_4$	Tetramethylthiomethane..... [C(SCH ₃) ₄]	2.82	70	250
$\text{C}_6\text{H}_{12}\text{N}$	Amylamine (bp 95°C).....	4.5 ^b	22	14
C_6					
$\text{C}_6\text{H}_4\text{BrCl}$	1-Bromo-2-chlorobenzene.....	6.8 ₀	20	83
	1-Bromo-3-chlorobenzene.....	4.5 ₀	20	83
$\text{C}_6\text{H}_4\text{Br}_2$	<i>o</i> -Dibromobenzene.....	7.35	20	55,83
	<i>m</i> -Dibromobenzene.....	4.80	20	55,83
	<i>p</i> -Dibromobenzene.....	2.5, ₇	95	55
$\text{C}_6\text{H}_4\text{ClNO}_2$	1-Chloro-2-nitrobenzene.....	37., 31., 27., 23., 21. ₆	50 80 110 140 163	176 [32]
	1-Chloro-3-nitrobenzene.....	20., 18., 15., 14., 13. ₀	50 80 110 140 160	176 [260]
	1-Chloro-4-nitrobenzene.....	8.0 ₀	120	0.16(α)	85,160 176 [32]
	<i>o</i> -Dichlorobenzene.....	9.93	25	0.194(α)	0,50 69 [53,55,61,179]
	<i>m</i> -Dichlorobenzene.....	5.04	25	0.120(α)	0,50 69 [55,61]
	<i>p</i> -Dichlorobenzene.....	2.41	50	0.18	50,80 55,94 [61]
	<i>o</i> -Diiodobenzene.....	5.7	20	55
	<i>m</i> -Diiodobenzene.....	4.2 ₅	25	55
	<i>p</i> -Diiodobenzene.....	2.8 ₈	120	55
	Bromobenzene.....	5.40	25	0.115(α)	60,61,86,194,272

^b $f = 8.6 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_6\text{H}_5\text{Cl}$ Chlorobenzene.....	5.708	20	60, 138, 170, 251
	5.621	25	
	5.71	20	0.130(α)	0, 80	41, 69, 70, 86, 123, 133
	7.28	-50	187, 194, 207
	6.30	-20	
	4.21	130	
$\text{C}_6\text{H}_5\text{ClO}$ o-Chlorophenol.....	6.31	25	2.7	25, 58	57, 61, 261
	9.47	55	3.7	55, 65	61, 261
$\text{C}_6\text{H}_5\text{F}$ Fluorobenzene.....	5.42	25	153, 255a, 83
	4.76	60	
$\text{C}_6\text{H}_5\text{I}$ Iodobenzene.....	4.63	20	243, 83
$\text{C}_6\text{H}_5\text{NO}_2$ Nitrobenzene.....	34.82	25	0.225(α)	10, 80	85, 138 [12, 38, 41,
	20.8	130	0.164(α)	130, 211	78, 141, 194, 251]
	24.9	90	
	22.7	110	
$\text{C}_6\text{H}_5\text{NO}_3$ o-Nitrophenol.....	17.3	50	6.4	50, 60	261
C_6H_6 Benzene.....	2.284	20	0.200	10, 60	12, 77, 138, 190, 250a,
	2.073	129	263, 273, 283a, 292
	1.966	182	16
$\text{C}_6\text{H}_5\text{BrN}$ m-Bromoaniline.....	13.0 ^a	19	27
$\text{C}_6\text{H}_5\text{ClN}$ m-Chloroaniline.....	13.4 ^a	19	27
$\text{C}_6\text{H}_5\text{Cl}_6$ α -Hexachlorocyclohexane..... (mp 156°C)	4.7 ^a	156	237
$\text{C}_6\text{H}_5\text{N}_2\text{O}_2$ o-Nitroaniline.....	34.8	90	3.	90, 110	260
	56.3	160	6.	160, 180	260
$\text{C}_6\text{H}_5\text{O}$ Phenol.....	9.78	60	0.32(α)	40, 70	61, 123, 145, 194
$\text{C}_6\text{H}_5\text{N}$ Aniline.....	6.89	20	0.148(α)	0, 50	6, 66, 122, 159, 171, 251
	5.93	70	194
	4.54	184.6	41 [38]
2-Methylpyridine (α -Picoline)	9.8 ^b	20	14
C_6H_8 1,3-Cyclohexadiene.....	2.6 _a	-89	237

^b $f = 3.6 \times 10^8$ cycles/sec.^a $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_6\text{H}_8\text{N}_2$	Phenylhydrazine.....	7.2	23	12 [22,27]
	2,5-Dimethylpyrazine.....	2.43 ₆	20	0.13	20,50
	2,6-Dimethylpyrazine.....	2.65 ₃	35	0.30	35,65
$\text{C}_6\text{H}_8\text{O}_2$	1,4-Cyclohexadione.....	4.4 ₀	78	237
$\text{C}_6\text{H}_9\text{Cl}_2\text{O}$	cis-Ethyl β -chlorocrotonate..	7.6 ₇	18	49
	trans-Ethyl β -chlorocrotonate	4.7 ₀	18	49
C_6H_{10}	Cyclohexene.....	2.220	25	271
		2.6 ₀	105	237
	2,4-Hexadiene ^t	2.22	25	130
	2-Methyl-1,3-pentadiene ^t	2.42	25	104,130
	3-Methyl-1,3-pentadiene ^t	2.43	25	104,130
	4-Methyl-1,3-pentadiene ^u	3.16	75	129,130
		2.84	25	
		2.60	25	
		2.49	50	
	2,3-Dimethyl-1,3-butadiene...	2.10	25	0.17	50,50
$\text{C}_6\text{H}_{10}\text{O}$	Cyclohexanone.....	18.3	20	35,98
		19. ₉	40	237
	4-Methyl- γ -penten-2-one.....	15. ₆	0	232
	(Mesityl oxide)	15. ₁ ^a	20	17
	Butoxyacetylene.....	6.62	25	257
$\text{C}_6\text{H}_{10}\text{O}_2$	Ethyl crotonate.....	5.4 ⁿ	20	27
$\text{C}_6\text{H}_{10}\text{O}_3$	Propionic anhydride.....	18.3 ⁿ	16	27
	Ethyl acetoacetate.....	15. ₇ ^a	22	7
$\text{C}_6\text{H}_{10}\text{O}_4$	Diethyl oxalate.....	8.1 ^a	21	7
	Dimethyl succinate.....	5.1	20	32
$\text{C}_6\text{H}_{11}\text{Br}$	Bromocyclohexane.....	7.92	25	0.140(α)	1,55
		11. ₀	65	237
$\text{C}_6\text{H}_{11}\text{BrO}_2$	dL-threo-2-Acetoxy-3-.....	7.41 ₄	25	238
	bromobutane				
	dl-erythro-2-Acetoxy-.....	7.26 ₈	25	238
	3-bromobutane				

^a $f = 4 \times 10^8$ cycles/sec.ⁿ $f = 5 \times 10^8$ cycles/sec.^tMixture of cis-trans isomers.^uSome polymerization at the higher temperatures.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_6\text{H}_{11}\text{BrO}_2$ —Con.					
Ethyl α -bromobutyrate.....	8.0 ^a	20	27
Ethyl α -bromoisobutyrate.....	7.9 ^a	20	27
$\text{C}_6\text{H}_{11}\text{Cl}$ Chlorocyclohexane.....	7.6	25	98
	10. ₉	-47	237
$\text{C}_6\text{H}_{11}\text{ClO}_2$ Isoamyl chloroformate.....	7.8 ^a	20	27
$\text{C}_6\text{H}_{11}\text{N}$ Isocapronitrile.....	15. ₅ ^b	22	13
$\text{C}_6\text{H}_{11}\text{NO}$ Cyclohexanone oxime.....	3.0 ₄	89	237
$\text{C}_6\text{H}_{11}\text{NS}$ Amyl thiocyanate..... (bp 195°C)	17. ₁ ^b	19.5	18
C_6H_{12} Cyclohexane.....	2.023	20	0.160	10,60	81,146,188,190,196, 259,292
Methylcyclopentane.....	1.985	20	248
Ethylcyclobutane.....	1.965	20	248
cis-3-Hexene.....	2.062	25	239
trans-3-Hexene.....	2.000	25	239
$\text{C}_6\text{H}_{12}\text{Br}_2$ <i>d</i> l-3,4-Dibromohexane.....	6.73 ₂	25	238
meso-3,4-Dibromohexane.....	4.67 ^v	25	238
$\text{C}_6\text{H}_{12}\text{O}$ Cyclohexanol.....	15.0 7.2 ₄ 4.8 ₈	25 100 150	0.437(α)	20,66	35,98,207 [84,261]
1-Methyl-1-cyclopentanol....	6.9 ₇	34.6	237
2-Hexanone.....	14.6	14.5	84
4-Methyl-2-pentanone.....	13.1 ₁ 18.8	20 -60	0.210(α)	-20,100	240
3,3-Dimethyl-2-butanone..... (Pinacolin)	13.1	14.5	84 [7,18]
$\text{C}_6\text{H}_{12}\text{O}_2$ Caproic acid.....	2.63	71	192 [27]
Amyl formate.....	6.4 ₉	25	160 [7]
Butyl acetate.....	5.01 6.8 ₈	20 -73	1.4	20,40	7,8,10,37,260
Isobutyl acetate.....	5.29	20	1.6	at 20	7,8,10,57
Propyl propionate.....	4.7 ^a	20	27
Ethyl butyrate.....	5.10	18	1.0	at 20	7,8

^a $f = 3.6 \times 10^8$ cycles/sec.^a $f = 5 \times 10^8$ cycles/sec.^v Extrapolated from mixtures containing both isomers.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_6\text{H}_{12}\text{O}_2$ —Con.					
Methyl valerate.....	4.3 ^a	19	27
4-Hydroxy-4-methyl-2-pentanone (Diacetone alcohol)	18. ₃	25	115
$\text{C}_6\text{H}_{12}\text{O}_3$	β -Ethoxyethyl acetate..... ("Cellosolve" acetate)	7.57	30	3.1	30,50
	Paraldehyde.....	13.9	25
		6.29	128	41 [17,26]
$\text{C}_6\text{H}_{13}\text{Br}$	I-Bromohexane.....	5.82	25	1.73	25,55
		6.30	1	272
$\text{C}_6\text{H}_{13}\text{I}$	I-Iodohexane.....	5.37	20
$\text{C}_6\text{H}_{13}\text{N}$	Cyclohexylamine.....	5.3 ₇	-21	237
C_6H_{14}	n-Hexane.....	1.890	20	0.155	-10,50
		2.044	-90		88 [35,116,207]
		1.990	-50		
$\text{C}_6\text{H}_{14}\text{O}$	I-Hexanol.....	13.3	25	0.35(α)	15,35
		8.5 ₅	75		103,177
	Propyl ether.....	3.3 ₉	26
	Isopropyl ether.....	3.88	25	1.8	0,25
$\text{C}_6\text{H}_{14}\text{O}_2$	2-Methyl-2,4-pentanediol.....	24.4	30	14.5	30,35
	I,I-Diethoxyethane.....	3.80	25
		3.80	25	85,102 [7,26,298]
$\text{C}_6\text{H}_{14}\text{O}_6$	Sorbitol.....	33. ₆	80	131,142
	Mannitol.....	24. ₆	170	131,142
$\text{C}_6\text{H}_{15}\text{Al}$	Triethyl aluminum.....	2.9	20
$\text{C}_6\text{H}_{15}\text{N}$	Dipropylamine.....	2.9 ^b	21	14,22
	Triethylamine.....	2.42	25	206 [26]
$\text{C}_6\text{H}_{16}\text{OSi}_2$	$(\text{CH}_3)_3\text{Si} [\text{OSi}(\text{CH}_3)_2]_n \text{CH}_3$				
$n = 1$	Hexamethyldisiloxane.....	2.17	20	266
$n = 2$	Octamethyltrisiloxane.....	2.30	20	266
$n = 3$	Decamethyltetrasiloxane.....	2.39	20	266
$n = 4$	Dodecamethylpentasiloxane....	2.46	20	266
$n = 5$	Tetradecamethylhexasiloxane..	2.50	20	266
$n = 66^*$		2.72	20	266

^b $f = 3.6 \times 10^6$ cycles/sec.^a $f = 5 \times 10^6$ cycles/sec.

* Silicone oil of average molecular weight corresponding to this formula.

C. ORGANIC LIQUIDS—Continued

Substance		ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range $t_1 \cdot t_2$	References
C₇						
C ₇ H ₅ ClO	Benzoyl chloride.....	29. 23.	0 20	43 [22]
C ₇ H ₅ Cl ₃	<i>α,α,α</i> -Trichlorotoluene.....	6.9 ^b	21	22,27
C ₇ H ₅ F ₃	<i>α,α,α</i> -Trifluorotoluene.....	9.18 8.09	30 60	255a
C ₇ H ₅ N	Benzonitrile.....	25.20 24.02 22.10	25 40 70	0.157(α)	0,25	85,138 [194]
C ₇ H ₅ NO	Phenyl isocyanate.....	8.8 ^b	20	22 [18]
C ₇ H ₅ NS	Phenyl isothiocyanate.....	10.4 ^a	20	17,22 [18]
C ₇ H ₆ Cl ₂	<i>α,α</i> -Dichlorotoluene.....	6.9 ⁿ	20	27
C ₇ H ₆ O	Benzaldehyde.....	19.7 17.8	0 20	26,56 [4,7,22]
C ₇ H ₆ O ₂	Salicylaldehyde.....	17.1	30	7.	30,40	261 [4,7,17]
C ₇ H ₇ Br	<i>o</i> -Bromotoluene.....	4.28	58	61 [27]
	<i>m</i> -Bromotoluene.....	5.36	58	61 [27]
	<i>p</i> -Bromotoluene.....	5.49	58	61 [27,32]
C ₇ H ₇ BrO	<i>p</i> -Bromoanisole.....	7.06	30	1.6	30,40	260
C ₇ H ₇ Cl	<i>o</i> -Chlorotoluene.....	4.45 4.16	20 58	83 [27]
	<i>m</i> -Chlorotoluene.....	5.55 5.04	20 58	61
	<i>p</i> -Chlorotoluene.....	6.08 5.55	20 58	83 [27,32]
	<i>α</i> -Chlorotoluene.....	7.0	13	2 [27]
	<i>o</i> -Fluorotoluene.....	4.22 3.88	30 60	255a
C ₇ H ₇ F	<i>m</i> -Fluorotoluene.....	5.42 4.90	30 60	255a
	<i>p</i> -Fluorotoluene.....	5.86 5.34	30 60	255a
	<i>p</i> -Iodotoluene.....	4.4	35	32
C ₇ H ₇ NO	Benzaldehyde oxime (trans)...	3.8	20	8 [7,27]

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.ⁿ $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_7\text{H}_7\text{NO}_2$	$\text{o-Nitrotoluene}.....$	27.4	20	15.	at 20 12, 85 [50]
		21.6	58	61
		11.8	222	41
	$m\text{-Nitrotoluene}.....$	23.8	20	53 [27]
		21.9	58	61
	$p\text{-Nitrotoluene}.....$	22.2	58	61 [32]
$\text{C}_7\text{H}_7\text{NO}_3$	$m\text{-Nitrobenzyl alcohol}.....$	22.9	20	27
C_7H_8	$\text{Toluene}.....$	2.438	0	0.0455(α)	16, 60, 188, 196, 223,
		2.379	25	0.243	229 [36, 80, 207]
		2.15	127		
		2.04	181		
$\text{C}_7\text{H}_8\text{O}$	$\text{Benzyl alcohol}.....$	13.1	20	26, 56 [8, 256]
		9.47	70	194
		6.6	132	117
	$\text{o-Cresol}.....$	11.5	25	11.	25, 30 261 [61]
	$m\text{-Cresol}.....$	11.8	25	0.41(α)	15, 50 56, 145, 261 [43, 61]
	$p\text{-Cresol}.....$	9.9	58	61
$\text{C}_7\text{H}_6\text{O}_2$	$\text{Methoxybenzene}.....$	4.33	25	1.1	20, 40 66, 144, 260, 277
	(Anisole)				
		3.89	70	194
$\text{C}_7\text{H}_6\text{O}_2$	$\text{o-Methoxyphenol (Guaiacol)}..$	11.7	28	27
$\text{C}_7\text{H}_8\text{N}$	$\text{Benzylamine}.....$	5.5	1	26 [27]
		4.6	21	
		4.3	50	
	$\text{o-Toluidine}.....$	6.34	18	171 [14, 27, 117]
		5.71	58	61
		4.00	200	41
$\text{C}_7\text{H}_8\text{N}_2$	$\text{m-Toluidine}.....$	5.95	18	171 [14, 27]
		5.45	58	61
	$\text{p-Toluidine}.....$	4.98	54	61, 145 32
	$N\text{-Methylaniline}.....$	5.97	22	159, 171 14, 26
$\text{C}_7\text{H}_{10}\text{N}_2$	$\text{l-Methyl-l-phenylhydrazine}...$	7.3	19	27

^a $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_7\text{H}_{11}\text{F}_3$ Cyclohexyltrifluoromethane...	11.9	-85	237
$\text{C}_7\text{H}_{12}\text{O}$ 2-Methylcyclohexanone.....	16.4	-15	237
	14.0	20	232
3-Methylcyclohexanone.....	18.3	-89	237
	12.4	20	232
4-Methylcyclohexanone.....	15.7	-41	237
	12.4	20	232
$\text{C}_7\text{H}_{12}\text{O}_3$ Cyclohexanecarboxylic acid...	2.67	31	237
$\text{C}_7\text{H}_{12}\text{O}_3$ Ethyl levulinate.....	11.9*	21	7
$\text{C}_7\text{H}_{12}\text{O}_4$ Diethyl malonate.....	8.03	25	3.	25,30	260,276 [7,27]
$\text{C}_7\text{H}_{13}\text{ClO}_2$ Isoamyl chloroacetate.....	7.8"	20	27
C_7H_{14} Methylcyclohexane.....	2.020	20	196 [107]
	2.26	-129	237
1-Heptene.....	2.05	20	151
2-Methyl-2-hexene.....	2.94	20	283
$\text{C}_7\text{H}_{14}\text{Br}_2$ 1,2-Dibromoheptane.....	3.77	25	150
2,3-Dibromoheptane.....	5.08	25	150
3,4-Dibromoheptane.....	4.70	25	150
$\text{C}_7\text{H}_{14}\text{O}$ Cyclohexanemethanol.....	9.70	60	256
	8.05	80	
2-Methylcyclohexanol.....	13.3	20	0.56(α) at 20	232 [261]
3-Methylcyclohexanol.....	12.3	20	0.43(α) at 20	232 [261]
4-Methylcyclohexanol.....	13.3	20	0.41(α) at 20	232 [261]
Heptaldehyde.....	9.07	22	90
2-Heptanone.....	11.95	20	0.200(α)	0,100	240 [90]
	14.3	-20			
	7.10	140			
3-Heptanone.....	12.9	22	90
4-Heptanone.....	12.58	20	0.205(α)	0,100	90,240 [7,84]
	15.1	-20			
	8.00	120			

* $f = 4 \times 10^8$ cycles/sec.** $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_7\text{H}_{14}\text{O}_3$	Heptanoic acid.....	2.59	71	192
	Amyl acetate.....	4.75	20	1.2 at 20	7, 8, 10, 57, 160
	Isoamyl acetate.....	4.63	30	1.3	30, 40 260, 276
	Propyl butyrate.....	4.3 ⁿ	20	27
	Ethyl valerate.....	4.71	18	0.9 at 18	7, 8 [27]
$\text{C}_7\text{H}_{15}\text{Br}$	1-Bromoheptane.....	5.33	25	1.40	25, 70 90, 97, 272
		4.48	90		
		5.96	-10	0.155(α)	-70, -10 97, 286
		5.58	10		
	2-Bromoheptane.....	6.46	22	90
$\text{C}_7\text{H}_{15}\text{BrO}$	3-Bromoheptane.....	6.93	22	90
	4-Bromoheptane.....	6.81	22	90
	1-Bromo-2-ethoxypentane.....	6.45	25	150
	2-Bromo-3-ethoxypentane.....	6.40	25	150
	3-Bromo-2-ethoxypentane.....	8.24	25	150
$\text{C}_7\text{H}_{15}\text{Cl}$	1-Chloroheptane.....	5.48	22	90
	2-Chloroheptane.....	6.52	22	90
	3-Chloroheptane.....	6.70	22	90
	4-Chloroheptane.....	6.54	22	90
	1-Iodoheptane.....	4.92	22	90, 242
C_7H_{16}	3-Iodoheptane.....	6.39	22	90
	Heptane.....	1.924	20	0.140	-50, 50 71, 88, 292
		2.074	-90		
		1.850	70		
	2-Methylhexane.....	1.919	20	0.14	at 20 71
	3-Methylhexane.....	1.927	20	0.14	at 20 71
	3-Ethylpentane.....	1.939	20	0.146	-120, 80 71
	2,2-Dimethylpentane.....	1.912	20	0.146	-120, 80 71
	2,3-Dimethylpentane.....	1.939	20	0.15	at 20 71
	2,4-Dimethylpentane.....	1.914	20	0.15	at 20 71
	3,3-Dimethylpentane.....	1.937	20	0.15	at 20 71
	2,2,3-Trimethylbutane.....	1.927	20	0.13	at 20 71

ⁿ $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_7\text{H}_{16}\text{O}$	1-Heptanol.....	12.10	22	90
	2-Heptanol.....	9.21	22	90
	3-Heptanol.....	6.86	22	90
	4-Heptanol.....	6.17	22	90
	Ethoxypentane.....	3.6	23	29 [27]
	1-Ethoxy-3-methylbutane.....	3.96	20	1.3 20,50	66
$\text{C}_7\text{H}_{16}\text{O}_7$	Glucoheptitol.....	27.4	120	131,142
C_8					
$\text{C}_8\text{H}_2\text{Cl}_2\text{F}_6$	4,5-Dichloro-1,3-bis-(trifluoromethyl)-benzene	3.13 2.94	30 60	255a
	2-Chloro-1,3-bis-(trifluoromethyl)-benzene	3.20 3.00	30 60	255a
$\text{C}_8\text{H}_3\text{ClF}_6$	4-Chloro-1,3-bis-(trifluoromethyl)-benzene	5.44 4.96	30 60	255a
	1,3-bis-(trifluoromethyl)-benzene	5.98 5.37	30 60	255a
C_8H_6	Ethynebenzene.....(Phenylacetylene)	2.98	25	257
$\text{C}_8\text{H}_6\text{Cl}_2$	2,5-Dichlorostyrene.....	2.58	25	279
$\text{C}_8\text{H}_6\text{O}$	Phenoxyacetylene.....	4.76	25	257
$\text{C}_8\text{H}_6\text{O}_2$	Phthalide.....	36. ^a	75	7
$\text{C}_8\text{H}_7\text{Cl}_3$	β -Chloroethyl-2,5-di-chlorobenzene	5.20	24	279
$\text{C}_8\text{H}_7\text{N}$	α -Tolunitrile.....	18. ^b ₅	23	13
	Phenylacetonitrile.....	18. ₇ 8.5	27 234	41 [7,13,17,26]
$\text{C}_8\text{H}_7\text{NO}$	Mandelonitrile.....	17. ^b ₈	23	14 [39]
$\text{C}_8\text{H}_7\text{NO}_4$	Methyl α -nitrobenzoate.....	27. ₈	27	107
C_8H_8	Styrene.....(Phenylethylene)	2.43 2.32	25 75	162,196,279
	Phenylacetaldehyde.....	4.8 ^a	20	7
$\text{C}_8\text{H}_8\text{O}$	Acetophenone.....	17.39 8.64	25 202	4. at 25	138,260 [12,26,117] 41

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_8\text{H}_8\text{O}_2$	Phenyl acetate.....	5.23	20	0.7	at 20
	Methyl benzoate.....	6.59	20	0.14(α)	20, 50
	<i>p</i> -Methoxybenzaldehyde..... (Anisaldehyde)	22. ₃ 10.4	22 248	41 [17]
$\text{C}_8\text{H}_8\text{O}_3$	Methyl salicylate.....	9.41	30	3.1	30, 40
C_8H_{10}	Ethy benzene.....	2.412	20	3, 248 [35]
	<i>o</i> -Xylene.....	2.568	20	0.266	-20, 130
	<i>m</i> -Xylene.....	2.374	20	0.195	-40, 180
	<i>p</i> -Xylene.....	2.270	20	0.160	20, 130
$\text{C}_8\text{H}_{10}\text{O}$	1-Phenylethanol.....	8.9 ₀	20	0.22(α)	20, 90
	2-Phenylethanol.....	13. ₀ 9.0 ₄ 7.6 ₃	20 60 90	256
	Ethoxybenzene (Phenetole)	4.22	20	0.90	20, 50
	<i>o</i> -Methoxytoluene.....	3.5 ₇	20	23 [22, 27]
	<i>m</i> -Methoxytoluene.....	4.0 ₈	20	23 [27]
	<i>p</i> -Methoxytoluene.....	4.0 ₃	20	23 [27]
	3,4-Dimethyl-1-hydroxy- benzene	4.8 ⁿ	17	27
	2-Methoxy-4-methylphenol (Creosol)	11.	16	4, 8
	<i>o</i> -Dimethoxybenzene (Veratrole)	4.5	23	32
	<i>N</i> -Methylbenzylamine.....	4.4 ⁿ	19	27
$\text{C}_8\text{H}_{11}\text{N}$	<i>N</i> -Ethylaniline.....	5.76	20	2.	0, 20
	<i>N,N</i> -Dimethylaniline.....	4.91 4.42	20 70	2.	at 20
	2,4-Dimethylaniline.....	4.9 ⁿ	20	14, 22, 27
	Ethyl fumarate.....	6.5 ₆	23	186 [167]
$\text{C}_8\text{H}_{12}\text{O}_4$	Ethyl maleate.....	8.5 ₈	23	186 [167]

ⁿ $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range $t_1 \text{--} t_2$	References
$\text{C}_6\text{H}_{14}\text{O}_3$	Butyric anhydride.....	12.9 ⁿ	20	27
	Isobutyric anhydride.....	13.6 ⁿ	20	17 [27]
$\text{C}_6\text{H}_{14}\text{O}_4$	Diethyl succinate.....	6.64	30	1.0	30, 40
	meso-2,3-Diacetoxybutane.....	6.64 ₄	25	238
	dl-2,3-Diacetoxybutane.....	5.10 ^v	25	238
C_8H_{16}	cis-3-Octene.....	2.062	25	239
	trans-3-Octene.....	2.002	25	239
	cis-4-Octene.....	2.053	25	239
	trans-4-Octene.....	2.004	25	239
	3-Methyl-2-heptene.....	2.4 ₄ ^c	20	283
	2,5-Dimethyl-2-hexene.....	2.4 ₃	20	283
	3,5-Dimethyl-2-hexene.....	2.6 ₅ ^c	20	283
$\text{C}_8\text{H}_{16}\text{O}$	2-Octanone.....	10.3 ₉	20	0.215(α)	240 [7, 84]
		12.5	-20		
		7.42	100		
		6.10	160		
$\text{C}_8\text{H}_{16}\text{O}_2$	Caprylic acid.....	2.4 ₅	20	181
		2.54	71	192
	Isoamyl propionate.....	4.2 ⁿ	20	27
	Isobutyl butyrate.....	4.1 ⁿ	20	27
	Propyl valerate.....	4.0 ⁿ	19	27
$\text{C}_8\text{H}_{17}\text{Br}$	1-Bromo-octane.....	6.35	-50	1.9	-55, -39
		5.00	25	1.33	1,55
$\text{C}_8\text{H}_{17}\text{Cl}$	1-Chlorooctane.....	5.05	25	1.70	1,55
$\text{C}_8\text{H}_{17}\text{I}$	1-Iodo-octane.....	4.62	25	1.17	1.55
	2-Iodo-octane.....	5.77	20	242
C_8H_{18}	n-Octane.....	1.948	20	0.130	-50, 50
		1.879	70		
		1.817	110		
	2,2,3-Trimethylpentane.....	1.96	20	35
	2,2,4-Trimethylpentane.....	1.940	20	0.142	-100, 100
					71

ⁿ $f = 4 \times 10^6$ cycles/sec.^v $f = 5 \times 10^6$ cycles/sec.^c Mixture of cis-trans isomers.^v Extrapolated from mixtures containing both isomers.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^3$	Range t_1-t_2	References
$\text{C}_8\text{H}_{16}\text{O}$					
1-Octanol.....	10.3 ₄ 13.3 11.3	20 -10 10	0.410(α)	20, 60	81, 82
2-Octanol.....	12.0 8.20 6.52 5.61	-10 20 40 56	82, 217
3-Octanol.....	9.88 8.18 7.03 6.16 5.68	-20 0 20 40 54	82
4-Octanol.....	8.97 7.76 5.97 5.12 4.70 4.51	-31 -20 0 20 40 55	82
2-Methyl-1-heptanol.....	8.23 6.28 5.15 4.48 4.15	-20	82
3-Methyl-1-heptanol.....	3.24 3.12 2.98 2.87 2.79 2.75	-32 -20 0 20 40 55	82
4-Methyl-1-heptanol.....	6.40 5.30 4.53 4.02 3.73	-20	82
5-Methyl-1-heptanol.....	7.47 5.37	20 55	0.430(α)	-20, 43	82
6-Methyl-1-heptanol.....	10.2, 14.3 12.2	20 -20 0	0.404(α)	17, 55	82
2-Methyl-2-heptanol.....	3.46 3.49 3.38 3.38	25 -33 -13 -7	-0.30	5, 50	82

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range $t_1 \cdot t_2$	References
$\text{C}_9\text{H}_{18}\text{O}$ —Con.					
3-Methyl-2-heptanol.....	7.33 10.8 9.13 6.22	20 -44 -20 55	0.23(α)	-8,30	82
4-Methyl-2-heptanol.....	4.6 3.90 3.63 3.52 3.36	-18 0 20 40 60	82
5-Methyl-2-heptanol.....	8.6 7.5	-18 5	82
6-Methyl-2-heptanol.....	10.3 6.20 5.17 4.70	-20 20 40 55	82
2-Methyl-3-heptanol.....	3.37 2.71 2.88 3.60 3.75	20 -40 -20 40 60	-1.30	-12,35	82
3-Methyl-3-heptanol.....	3.58 3.57 3.63 3.74 3.84 3.89	-30 -20 0 20 40 60	82
4-Methyl-3-heptanol.....	5.25 7.11 6.59 4.62	20 -52.5 -30 55	0.178(α)	-8,42	82
5-Methyl-3-heptanol.....	6.13 8.60 7.48 7.08	20 -43 -20 0	0.185(α)	18,57	82
6-Methyl-3-heptanol.....	5.50 8.70 7.16 6.22	20 -42 -20 0	0.202(α)	17,55	82
2-Methyl-4-heptanol.....	3.30 2.93 3.65	20 -20 60	-1.05	0,36	82
3-Methyl-4-heptanol.....	9.09 7.36	-20 20	0.248(α) 0.204(α)	-43,0 5,55	82

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_8\text{H}_{10}\text{O}$ —Con.					
4-Methyl-4-heptanol.....	2.87 2.53 2.59 2.70 3.27	20 -44 -20 0 60	-1.04	10,55	82
Butyl ether.....	3.06	25	144,198
$\text{C}_8\text{H}_{10}\text{N}$	Diisobutylamine.....	2.7 ^b	22	14
$\text{C}_8\text{H}_{20}\text{O}_4\text{Si}$	Tetraethyl silicate.....	4.1 ^b	ca 20	22
C_9					
$\text{C}_9\text{H}_7\text{N}$	Quinoline.....	9.00 5.05	25 238	41,156,159
	Isoquinoline.....	10.7	25	159
$\text{C}_9\text{H}_8\text{O}$	Cinnamaldehyde.....	16.9	24	107
C_9H_{10}	1-Phenyl-1-propene.....	2.7 ₃	20	215
	2-Phenyl-1-propene.....	2.2 ₈	20	215
	3-Phenyl-1-propene.....	2.6 ₃	20	215
$\text{C}_9\text{H}_{10}\text{O}$	α -Indanol (mp 55°C).....	7.8 ₃ 7.1 ₀ 6.7 ₄	60 80 90	256
	α -Indanol (mp 40°C).....	7.7 ₃ 7.1 ₁ 6.4 ₂	40 60 90	256
	β -Indanol (mp 70°C).....	7.2 ₃	80	256
	1-Phenyl-1-propanone..... (Propiophenone)	15.5 ^a	17	7
$\text{C}_9\text{H}_{10}\text{O}_2$	Benzyl acetate.....	5.1 ⁿ	21	27
	Ethyl benzoate.....	6.02	20	2.1	20,40 7,8,56,178,189,260, 276
	Methyl <i>p</i> -methylbenzoate.....	4.3	33	32
$\text{C}_9\text{H}_{10}\text{O}_3$	Methyl <i>o</i> -methoxybenzoate.....	7.7 ^a	21	7
	Ethyl salicylate.....	7.99	30	2.	30,40 261 [7,8,27]
C_9H_{12}	Propylbenzene.....	2.36 ₉	20	3,35 [1]
	Isopropylbenzene..... (Cumene)	2.38 ₀	20	3,35 [1,7]
	<i>p</i> -Ethyltoluene.....	2.24 ₀	25	0.19	25,45 158

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.ⁿ $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	α (or α') $\times 10^2$	Range t_1, t_2	References
C_9H_{12} —Con.					
1,2,4-Trimethylbenzene (Pseudocumene)	2.42	17	1,3
1,3,5-Trimethylbenzene (Mesitylene)	2.27 _a	20	196 [1,35]
$\text{C}_9\text{H}_{12}\text{O}$	α -Ethoxytoluene (Benzyl ethyl ether)	3.9 ^a	20	27
$\text{C}_9\text{H}_{12}\text{N}$	Benzylethylamine.....	4.3 ^a	20	27
	<i>N,N</i> -Dimethyl- <i>o</i> -toluidine.....	3.4 ^a	20	27
	<i>N,N</i> -Dimethyl- <i>p</i> -toluidine.....	3.9 ^a	20	27
$\text{C}_9\text{H}_{14}\text{O}_6$	Glyceryl triacetate (Triaceticin)	7.1 _a	20	244 [27,232]
$\text{C}_9\text{H}_{16}\text{O}_4$	Diethyl glutarate.....	6.66	30	2.7	30,40
	<i>dI</i> -erythro-2,3-Diacetoxy- pentane	6.73 _a	25	238
	<i>dI</i> -threo-2,3-Diacetoxypentane..	5.22 _a	25	238
C_9H_{16}	4-Ethyl-3-heptene ^c	2.4 _a	20	283
	2,6-Dimethyl-2-heptene.....	2.6 _a	20	283
	3,6-Dimethyl-3-heptene ^c	2.6 _a	20	283
$\text{C}_9\text{H}_{18}\text{O}$	2,2,4,4-Tetramethyl-3- pentanone (Hexamethyl acetone)	10.0	14.5	84
$\text{C}_9\text{H}_{18}\text{O}_2$	Isoamyl butyrate.....	4.0 ^a	20	27
	Isobutyl valerate.....	3.8 ^a	19	27
$\text{C}_9\text{H}_{18}\text{Br}$	1-Bromononane.....	5.42	-20	1.3	-35,16
		4.74	25	1.13	1,55
$\text{C}_9\text{H}_{18}\text{BrO}$	1-Bromo-2-ethoxyheptane.....	5.48	20	150
	2-Bromo-3-ethoxyheptane.....	5.22	25	150
	3-Bromo-4-ethoxyheptane.....	6.24	25	150
$\text{C}_{10}\text{H}_{20}$	<i>n</i> -Nonane.....	1.972	20	0.135	-10,90
		2.059	-50		
		1.847	110		
		1.787	150		
	2-Methyloctane.....	1.97	20	35
	4-Methyloctane.....	1.97	20	35

^a $f = 5 \times 10^8$ cycles/sec.^c Mixture of *cis-trans* isomers.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$\tau^{\circ}\text{C}$	α (or α) $\times 10^2$	Range τ_1, τ_2	References
C_9H_{10} —Con.					
2,4-Dimethylheptane.....	1.8 _s	20	35
2,5-Dimethylheptane.....	1.8 _s	20	35
2,6-Dimethylheptane.....	1.99	20	35
C_{10}					
$\text{C}_{10}\text{H}_7\text{Br}$	1-Bromonaphthalene.....	4.83	25	0.87	25,55 [7,12]
$\text{C}_{10}\text{H}_7\text{Cl}$	1-Chloronaphthalene.....	5.04	25	1.07	1,55
C_{10}H_8	Naphthalene.....	2.54	85	196,246
$\text{C}_{10}\text{H}_{10}\text{N}_2$	2,3-Dimethylquinoxaline.....	2.28	25	153
$\text{C}_{10}\text{H}_{10}\text{O}_3$	1-Allyl-3,4-methylenedioxybenzene (Safrole)	3.1 ^a	21	7 [22]
	1-Propenyl-3,4-methylenedioxybenzene (Isosafrole)	3.3 ^a	21	7 [22]
$\text{C}_{10}\text{H}_{10}\text{O}_4$	Dimethyl phthalate.....	8.5	24	232
$\text{C}_{10}\text{H}_{12}$	Dicyclopentadiene.....	2.43	40	0.20	40,100
	1,2,3,4-Tetrahydro-naphthalene (Tetralin)	2.757	20	0.29	10,40
$\text{C}_{10}\text{H}_{12}\text{O}$	Cumaldehyde (<i>p</i> -Isopropylbenzaldehyde)	11.	15	4
	Tetrahydro- β -naphthol.....	11. _s 8.1, 6.7 _s	20 60 90	256
$\text{C}_{10}\text{H}_{12}\text{O}_2$	Ethyl phenylacetate.....	5.2 _s ^a	21	7
	4-Allyl-1-hydroxy-2-methoxybenzene (Eugenol)	10.5	0	103 [22]
$\text{C}_{10}\text{H}_{14}$	Isobutylbenzene.....	2.35	17	1,3
	<i>t</i> -Butylbenzene.....	2.38	20	35
	1-Methyl-4-isopropylbenzene (<i>p</i> -Cymene)	2.24 _s	20	0.16	4,60
					3,100,158 [41,196]
$\text{C}_{10}\text{H}_{14}\text{O}$	Carvone.....	11. ^b	22	22
$\text{C}_{10}\text{H}_{14}\text{O}_2$	<i>dL</i> -2,3-Camphenedione.....	16. _s	203	237
$\text{C}_{10}\text{H}_{15}\text{N}$	<i>N,N</i> -Diethylaniline.....	5.5 ⁿ	19	27
$\text{C}_{10}\text{H}_{15}\text{NO}_2$	Camphoric imide.....	5.5	249	237

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.ⁿ $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_{10}\text{H}_{16}$	d-Camphene.....	2.33	ca 40	237 [24]
	d-Pinene.....	2.64	25	164 [24]
	I-Pinene.....	2.76	20	196 [24]
	Terpinene.....	2.7 ^b	21	22
	d-Limonene.....	2.3 ₆	20	24
	dl-Limonene (Dipentene).....	2.3 ₀	20	24
$\text{C}_{10}\text{H}_{16}\text{O}$	Dihydrocarvone.....	8.5 ₃ ^a	19	7
	Carvenone.....	19.	20	7,8
	Pulegone.....	9.5 ^a	20	7
	Fenchone.....	12. ₈	21	232
	Thujone.....	10. ₈	0	232
$\text{C}_{10}\text{H}_{17}\text{Cl}$	dl-Bornyl chloride.....	5.21	95	237
$\text{C}_{10}\text{H}_{18}$	5-Decyne (Dibutylacetylene)...	2.173	25	0.148	25,125
	cis-Decahydronaphthalene....	2.19 ₇	20	0.11	20,100
	trans-Decahydronaphthalene...	2.17 ₂	20	0.11	128,275
$\text{C}_{10}\text{H}_{18}\text{O}$	Menthone.....	8.8 ^b	18	22 [27]
		11. ₈	-35	232
$\text{C}_{10}\text{H}_{20}$	cis-5-Decene.....	2.071	25	239
	trans-5-Decene.....	2.030	25	239
	5-Methyl-4-nonenet.....	2.1 ₈	20	283
	2,4,6-Trimethyl-3-heptenet...	2.2 ₉	20	283
$\text{C}_{10}\text{H}_{20}\text{O}$	I- α -Menthol.....	3.95	42	237 [289]
$\text{C}_{10}\text{H}_{20}\text{O}_2$	Isoamyl valerate.....	3.6 ^a	19	27
$\text{C}_{10}\text{H}_{21}\text{Br}$	I-Bromodecane.....	4.44	25	1.07	25,55
		4.75	1		272
$\text{C}_{10}\text{H}_{22}$	n-Decane.....	1.991	20	0.130	10,110
		2.050	-30		88
		1.844	130		
		1.783	170		
	2,7-Dimethyloctane.....	1.983	20	0.137	20,120
$\text{C}_{10}\text{H}_{22}\text{O}$	I-Decanol.....	8.1	20	142
	Amyl ether.....	2.77	25	0.7	25,40
	Isoamyl ether.....	2.82	20	0.50	7,198,260

^a $f = 4 \times 10^8$ cycles/sec.^b $f = 3.6 \times 10^8$ cycles/sec.^a $f = 5 \times 10^8$ cycles/sec.^c Mixture of cis-trans isomers.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^3$	Range t_1, t_2	References
$\text{C}_{10}\text{H}_{22}\text{S}$ Amyl sulfide.....	3.83	25	140
	3.59	50	
$\text{C}_{10}\text{H}_{22}\text{N}$ Diisooamylamine.....	2.5 ^b	18	22
	C₁₁				
$\text{C}_{11}\text{H}_7\text{N}$ 1-Naphthonitrile.....	16. ₀ ^b	70	0.16(α)	22,70	14
	2-Naphthonitrile.....	16. ₉ ^b	70	14
$\text{C}_{11}\text{H}_{10}$ 1-Methylnaphthalene.....	2.71	20	113,202
$\text{C}_{11}\text{H}_{12}\text{O}_2$ Ethyl cinnamate.....	6.1	18	8,56 [7,216,260]
$\text{C}_{11}\text{H}_{12}\text{O}_3$ Ethyl benzoylacetate.....	12. ₄	20	8 [7,17]
$\text{C}_{11}\text{H}_{14}\text{O}_2$ Isobutyl benzoate.....	5.38	20	1.1	at 20	7,8,10 [27]
	4-Propenyl-1,2-dimethoxybenzene (Methyl isoeugenol)	4.7	18	167
$\text{C}_{11}\text{H}_{14}\text{O}_3$ Ethyl α -ethoxybenzoate.....	7.0 ^a	21	7
$\text{C}_{11}\text{H}_{16}$ 1-Methyl-4-tert-butylbenzene...	2.33	20	0.20	0,60	158
$\text{C}_{11}\text{H}_{20}\text{O}_4$ <i>dl</i> -erythro-3,4-Diacetoxyheptane	6.68 ₄	25	238
	<i>dl</i> -threo-3,4-Diacetoxyheptane	5.02 ₉	25	238
$\text{C}_{11}\text{H}_{22}\text{O}$ 2-Undecanone.....	8.4	14.5	84
$\text{C}_{11}\text{H}_{22}\text{Br}$ 1-Bromoundecane.....	4.73	-9	286
$\text{C}_{11}\text{H}_{24}$ <i>n</i> -Undecane.....	2.005	20	0.125	10,130	88
		2.039	-10		
		1.838	150		
		1.781	190		
	C₁₂				
$\text{C}_{12}\text{H}_8\text{O}$ Dibenzofuran.....(Diphenylene oxide)	3.0 ₀	100	232
$\text{C}_{12}\text{H}_{10}$ Diphenyl.....	2.53	75	0.18	75,155	67
$\text{C}_{12}\text{H}_{10}\text{O}$ Azoxybenzene.....	5.1	40	289
$\text{C}_{12}\text{H}_{10}\text{O}$ Phenyl ether.....	3.65	30	0.7	30,50	66,260 [289]
$\text{C}_{12}\text{H}_{11}\text{N}$ Diphenylamine.....	3.3	52	32
$\text{C}_{12}\text{H}_{12}\text{O}$ 1-Ethoxynaphthalene.....	3.3 ^b	19	27
$\text{C}_{12}\text{H}_{16}\text{O}$ <i>o</i> -Cyclohexylphenol.....	3.97	55	237
	<i>p</i> -Cyclohexylphenol.....	4.42	131	237

* $f = 4 \times 10^6$ cycles/sec.

$$b) f = 3.6 \times 10^6 \text{ cycles/sec.}$$

* $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance		ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_{12}\text{H}_{16}\text{O}_2$	Amyl benzoate.....	5.00	20	0.7	at 20	7,8,10 [27]
$\text{C}_{12}\text{H}_{16}\text{O}_3$	Isoamyl salicylate.....	5.4 ⁿ	20	27
$\text{C}_{12}\text{H}_{20}\text{O}_2$	Bornyl acetate.....	4.6	21	232
$\text{C}_{12}\text{H}_{22}$	6-Dodecyne (Diamylacetylene)	2.171	25	0.148	25,125	154
$\text{C}_{12}\text{H}_{22}\text{O}_6$	Dibutyl tartrate.....	9.4	41	232
$\text{C}_{12}\text{H}_{25}\text{Br}$	1-Bromododecane.....	4.07	25	0.9	1,55	272
$\text{C}_{12}\text{H}_{25}\text{Cl}$	1-Chlorododecane.....	4.17	25	1.2	1,40	272
		3.85	55			
$\text{C}_{12}\text{H}_{26}\text{I}$	1-Iodododecane.....	3.93	20	242
$\text{C}_{12}\text{H}_{26}$	<i>n</i> -Dodecane.....	2.014	20	0.120	10,150	88
		2.047	10			
		1.776	210			
$\text{C}_{12}\text{H}_{26}\text{O}$	1-Dodecanol.....	6.5	25	281 [142]
$\text{C}_{12}\text{H}_{27}\text{O}_4\text{P}$	Tributylphosphate.....	7.95 _o	30	2.74	30,35	295
C₁₃						
$\text{C}_{13}\text{H}_{10}\text{O}$	Benzophenone.....	11.4	50	180 [26,260]
$\text{C}_{13}\text{H}_{10}\text{O}_3$	Phenylsalicylate.....	6.3	50	289
$\text{C}_{13}\text{H}_{12}$	Diphenylmethane.....	2.57	25	0.14	20,50	66,269
$\text{C}_{13}\text{H}_{14}\text{O}_4$	Ethyl α -benzoyl-acetoacetate	12.	21	8 [7]
$\text{C}_{13}\text{H}_{20}\text{O}$	α -Ionone.....	10.8	19	253
	β -Ionone.....	11.7	25	253
$\text{C}_{13}\text{H}_{24}\text{O}_4$	Diethyl azelate.....	5.13	30	1.6	30,40	260
$\text{C}_{13}\text{H}_{26}\text{O}_2$	Ethyl undecanoate.....	3.55	20	0.83	-22,28	201
$\text{C}_{13}\text{H}_{27}\text{Br}$	1-Bromotridecane.....	4.20	10	286
C₁₄						
$\text{C}_{14}\text{H}_{10}$	Phenanthrene.....	2.72	110	246
$\text{C}_{14}\text{H}_{10}\text{O}_2$	Benzil.....	13.0	95	68 [32]
		12.1	120			
$\text{C}_{14}\text{H}_{12}\text{O}_2$	Benzyl benzoate.....	4.9 ⁿ	20	27
$\text{C}_{14}\text{H}_{12}\text{O}_3$	Benzyl salicylate.....	4.1 ⁿ	20	27
$\text{C}_{14}\text{H}_{14}$	1,2-Diphenylethane.....	2.38	110	0.17	57,178	67
$\text{C}_{14}\text{H}_{15}\text{N}$	Dibenzylamine.....	3.6 ^b	20	14,22

^b $f = 3.6 \times 10^8$ cycles/sec.ⁿ $f = 5 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued.

Substance	ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1, t_2	References
$\text{C}_{14}\text{H}_{18}\text{O}_4$ Diethyl benzalmalonate.....	8.0 7.6 5.9	0 20 70	8
$\text{C}_{14}\text{H}_{26}\text{O}_4$ Diethyl sebacate.....	5.00	30	1.2	30, 40	260
$\text{C}_{14}\text{H}_{28}\text{O}_3$ Ethyl dodecanoate (Ethyl laurate)	3.44 2.73	20 143	0.65	20, 100	67
$\text{C}_{14}\text{H}_{28}\text{Br}$ 1-Bromotetradecane.....	3.84	25	0.80	1, 55	272
$\text{C}_{14}\text{H}_{30}\text{O}$ 1-Tetradecanol.....	4.72 4.40	38 48	281
C₁₅					
$\text{C}_{15}\text{H}_{24}$ Cedrene.....	3.27	25	221
$\text{C}_{15}\text{H}_{31}\text{Br}$ 1-Bromopentadecane.....	3.89	20	286
C₁₆					
$\text{C}_{16}\text{H}_{28}\text{O}_4$ Dibutyl phthalate.....	6.43 ₀	30	1.98	30, 35	295 [267]
$\text{C}_{16}\text{H}_{32}\text{O}_2$ Palmitic acid.....	2.30	71	181, 192
$\text{C}_{16}\text{H}_{33}\text{Br}$ 1-Bromohexadecane.....	3.71	25	0.7	25, 55	272, 293
$\text{C}_{16}\text{H}_{33}\text{I}$ 1-Iodohexadecane.....	3.50	20	242 [27]
$\text{C}_{16}\text{H}_{34}\text{O}$ 1-Hexadecanol.....	3.82	50	1.7	48, 67	191, 201
C₁₇					
$\text{C}_{17}\text{H}_{34}\text{O}$ 9-Heptadecanone.....	5.3	60	195
$\text{C}_{17}\text{H}_{34}\text{O}_4$ Monomyristin.....	6.1	70	214
C₁₈					
$\text{C}_{18}\text{H}_{30}\text{O}_4$ Dicyclohexyl adipate.....	4.84	35	237
$\text{C}_{18}\text{H}_{32}\text{O}_2$ Linoleic acid.....	2.61 2.71 2.70 2.60	0 20 70 120	208, 235, 262
$\text{C}_{18}\text{H}_{33}\text{NaO}_2$ Sodium oleate.....	2.8 ^a	mp	21
$\text{C}_{18}\text{H}_{34}\text{O}_2$ Oleic acid.....	2.46 2.45 2.41	20 60 100	136, 181, 208, 235, 262
$\text{C}_{18}\text{H}_{34}\text{O}_4$ Dibutyl sebacate.....	4.54 ₀	30	1.07	30, 35	295 [267, 279]

^a $f = 4 \times 10^8$ cycles/sec.

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	α (or α) $\times 10^2$	Range t_1-t_2	References
$\text{C}_{18}\text{H}_{36}\text{O}_2$ Stearic acid.....	2.29	70	67, 181, 192
	2.26	100	262
Ethyl palmitate.....	3.20	20	0.4	20, 40	201
	2.71	104	67
	2.46	182	
$\text{C}_{18}\text{H}_{37}\text{Br}$ 1-Bromoocadecane.....	3.53	30	0.5	27, 58	293
$\text{C}_{18}\text{H}_{38}\text{O}$ 1-Octadecanol.....	3.42	58	281
	3.35	63	
C_{19}					
$\text{C}_{19}\text{H}_{16}$ Triphenylmethane.....	2.45	100	0.14	94, 175	67
$\text{C}_{19}\text{H}_{36}\text{O}_4$ Monopalmitin.....	5.34	67	287
	5.09	80	
C_{20}					
$\text{C}_{20}\text{H}_{38}\text{O}_2$ Ethyl oleate.....	3.17	28	0.48	28, 122	67
	2.63	150	
$\text{C}_{20}\text{H}_{40}\text{O}_2$ Ethyl stearate.....	2.98	40	0.6	32, 50	67, 201, 260
	2.69	100	
	2.48	167	
C_{21}					
$\text{C}_{21}\text{H}_{21}\text{O}_4\text{P}$ Tricresyl phosphate.....	6.9	40	219
$\text{C}_{21}\text{H}_{42}\text{O}_3$ β -Methoxyethyl stearate.....	3.39	50	260
$\text{C}_{21}\text{H}_{42}\text{O}_4$ Monostearin.....	4.87	77	287 [214]
	4.71	89	
C_{22}					
$\text{C}_{22}\text{H}_{42}\text{O}_2$ Butyl oleate.....	4.0	25	232
$\text{C}_{22}\text{H}_{42}\text{O}_3$ Isobutyl ricinoleate (Isobutyl 12-hydroxy-9-octadecenoate)	4.7	21	26
$\text{C}_{22}\text{H}_{44}\text{O}_2$ Butyl stearate.....	3.11 ₁	30	0.53	30, 35	295
$\text{C}_{22}\text{H}_{45}\text{Br}$ 1-Bromodocosane.....	3.12	55	0.5	43, 60	293
$\text{C}_{22}\text{H}_{46}$ <i>n</i> -Docosane.....	2.00	50	195
$\text{C}_{22}\text{H}_{46}\text{O}$ 1-Docosanol.....	2.96	70	281
C_{23}					
$\text{C}_{23}\text{H}_{46}\text{O}$ 12-Tricosanone.....	4.0 ₅	80	1.	72, 90	195

C. ORGANIC LIQUIDS—Continued

Substance	ϵ	$t^{\circ}\text{C}$	a (or α) $\times 10^2$	Range t_1, t_2	References
C₂₄					
C ₂₄ H ₃₀ O ₄ Dibenzyl sebacate.....	4.6	25	267
C ₂₄ H ₃₀ O ₄ Dioctyl phthalate.....	5.1	25	267
C₂₆					
C ₂₆ H ₅₀ O ₄ Dioctyl sebacate.....	4.01	26	279
C₃₄					
C ₃₄ H ₆₆ Tetratriacontadiene.....	2.82	25	155
C₃₅					
C ₃₅ H ₆₆ O ₅ 1,3-Dipalmitin.....	3.52	72	288
	3.49	76			
C₃₆					
C ₃₆ H ₆₆ CuO ₄ Copper oleate.....	2.8 ₀ ^a	mp	21
C ₃₆ H ₆₆ O ₄ Pb Lead oleate.....	3.7 ₀ ^a	mp	21
C₃₉					
C ₃₉ H ₇₆ O ₆ 1,3-Distearin.....	3.32	78	288
	3.29	82			
C₅₁					
C ₅₁ H ₉₈ O ₆ Tripalmitin.....	2.92 ₇	60	0.32	60,70	288
C₅₇					
C ₅₇ H ₁₀₄ O ₆ Triolein.....	3.20	25	235 [208]
C ₅₇ H ₁₁₀ O ₆ Tristearin.....	2.78 ₅	70	0.34	70,80	288 [262]

^a $f = 4 \times 10^8$ cycles/sec.

4. BIBLIOGRAPHY

- | 1892 | 1910 |
|--|---|
| 1 H. Landolt & H. Jahn, Z. physik. Chem. 10, 289 | 26 P. Walden, Z. physik. Chem. 70, 569 |
| 1894 | 1911 |
| 2 H. Jahn & G. Möller, Z. physik. Chem. 13, 385 | 27 D. K. Dobroserdov, J. Russ. Phys. Chem. Soc. 48, 73 |
| 3 W. Nernst, Z. physik. Chem. 14, 622 | 28 R. C. Palmer & H. Schlundt, J. Phys. Chem. 15, 381 |
| 4 C. B. Thwing, Phys. Rev. 2, 35; Z. physik. Chem. 14, 286 | 1912 |
| 1895 | 29 D. K. Dobroserdov, J. Russ. Phys. Chem. Soc. 44, 679 |
| 5 F. Linde, Ann. Physik 56, 546 | 30 H. Schlundt & O. C. Schaefer, J. Phys. Chem. 16, 253 |
| 1896 | 1914 |
| 6 F. Ratz, Z. physik. Chem. 19, 94 | 31 L. Verain, Ann. phys. 1, 523 |
| 1897 | 1915 |
| 7 P. Drude, Z. physik. Chem. 23, 267 | 32 J. D. Cauwood & W. E. S. Turner, J. Chem. Soc. 107, 276 |
| 1898 | 33 A. G. Loomis & H. Schlundt, J. Phys. Chem. 19, 734 |
| 8 K. F. Löwe, Ann. Physik 66, 390 | 1916 |
| 1899 | 34 E. A. Harrington, Phys. Rev. 8, 581 |
| 9 R. Abegg & W. Seitz, Z. physik. Chem. 29, 242 | 1919 |
| 10 W. D. Coolidge, Ann. Physik 69, 130 | 35 T. W. Richards & J. W. Shipley, J. Am. Chem. Soc. 41, 2002 |
| 1900 | 1922 |
| 11 F. Hasenoehrl, Proc. Koninkl. Nederland. Akad. Wetenschap. 2, 211; Commun. Phys. Lab. Univ. Leiden No. 52 | 36 H. Isnardi, Z. Physik 9, 153 |
| 12 B. B. Turner, Z. physik. Chem. 35, 385 | 37 L. C. Jackson, Phil. Mag. 43, 481 |
| 1901 | 38 M. Jezewski, J. phys. radium 3, 293 |
| 13 H. Schlundt, J. Phys. Chem. 5, 157 | 1923 |
| 14 H. Schlundt, J. Phys. Chem. 5, 503 | 39 G. Bredig, Z. anorg. allgem. Chem. 36, 456 |
| 1902 | 40 W. Graffunder, Ann. Physik 70, 225 |
| 15 P. Eversheim, Ann. Physik 8, 539 | 41 F. V. Grimm & W. A. Patrick, J. Am. Chem. Soc. 45, 2794 |
| 1903 | 1924 |
| 16 K. Tangl, Ann. Physik 10, 748 | 42 G. Breit & H. K. Onnes, Proc. Koninkl. Nederland. Akad. Wetenschap. 27, 617; Commun. Phys. Lab. Univ. Leiden No. 171a |
| 17 P. Walden, Z. physik. Chem. 46, 103 | 43 J. Errera, J. phys. radium 5, 304 |
| 1904 | 44 E. H. L. Meyer, Ann. Physik 75, 801 |
| 18 H. E. Eggers, J. Phys. Chem. 8, 14 | 45 P. Walden & O. Werner, Z. physik. Chem. 111, 465 |
| 19 P. Eversheim, Ann. Physik 13, 492 | 46 M. Wolfke & H. K. Onnes, Proc. Koninkl. Nederland. Akad. Wetenschap. 27, 627; Commun. Phys. Lab. Univ. Leiden No. 171b |
| 20 H. Schlundt, J. Phys. Chem. 8, 122 | 47 M. Wolfke & H. K. Onnes, Proc. Koninkl. Nederland. Akad. Wetenschap. 27, 621; Commun. Phys. Lab. Univ. Leiden No. 171c |
| 1905 | 1925 |
| 21 L. Kahlenberg, Trans. Am. Electrochem. Soc. 7, 167 | 48 J. Errera & M. Lepingale, Bull. classe sci. Acad. roy. Belg. 2, 150 |
| 22 J. H. Mathews, J. Phys. Chem. 9, 641 | 49 J. Errera, J. phys. radium 6, 390 |
| 23 J. C. Philip & D. Haynes, J. Chem. Soc. 87, 998 | 50 H. Harris, J. Chem. Soc. 127, 1049 |
| 1908 | |
| 24 A. W. Stewart, J. Chem. Soc. 93, 1059 | |
| 1909 | |
| 25 O. C. Schaefer & H. Schlundt, J. Phys. Chem. 13, 669 | |

1925—Continued

- 50a L. Kockel, Ann. Physik **87**, 417
 51 L. Lange, Z. Physik **33**, 169
 52 H. Schlundt & A. F. O. Germann, J. Phys. Chem. **29**, 353
 53 P. Walden, H. Ulich & O. Werner, Z. physik. Chem. **116**, 261

1926

- 54 L. Ebert & W. H. Keesom, Proc. Koninkl. Nederland. Akad. Wetenschap. **29**, 1188; Commun. Phys. Lab. Univ. Leiden No. 182d
 55 J. Errera, Physik. Z. **27**, 764
 56 R. N. Kerr, J. Chem. Soc. **1926**, 2796
 57 L. A. Sayce & H. V. A. Briscoe, J. Chem. Soc. **1926**, 2623
 58 W. Werner & W. H. Keesom, Proc. Koninkl. Nederland. Akad. Wetenschap. **29**, 34; Commun. Phys. Lab. Univ. Leiden No. 178a
 59 W. Werner & W. H. Keesom, Proc. Koninkl. Nederland. Akad. Wetenschap. **29**, 306; Commun. Phys. Lab. Univ. Leiden No. 178c
 60 J. W. Williams & I. J. Krchma, J. Am. Chem. Soc. **48**, 1888

1927

- 61 R. N. Kerr, Phil Mag. **3**, 330
 62 I. J. Krchma & J. W. Williams, J. Am. Chem. Soc. **49**, 2408
 63 J. W. Williams & I. J. Krchma, J. Am. Chem. Soc. **49**, 1676

1928

- 64 A. I. Anderson, Proc. Phys. Soc. (London) **40**, 62
 65 J. Errera, Polarization Dielectrique, Paris, p. 101
 66 J. Estermann, Z. physik. Chem. **81**, 134
 67 W. Lautsch, Z. physik. Chem. **81**, 115
 68 L. Saint-Antoine, Compt. rend. **186**, 1429
 69 C. P. Smyth, S. O. Morgan & J. C. Boyce, J. Am. Chem. Soc. **50**, 1536
 70 C. P. Smyth & S. O. Morgan, J. Am. Chem. Soc. **50**, 1547
 71 C. P. Smyth & W. N. Stoops, J. Am. Chem. Soc. **50**, 1883
 72 M. Wolfke & W. H. Keesom, Proc. Koninkl. Nederland. Akad. Wetenschap. **31**, 81; Commun. Phys. Lab. Univ. Leiden No. 190a
 73 M. Woike & W. H. Keesom, Proc. Koninkl. Nederland. Akad. Wetenschap. **31**, 800; Commun. Phys. Lab. Univ. Leiden No. 192a

1929

- 74 G. B. Bonino & P. Cella, Gazz. chim. ital. **59**, 79
 75 K. Fredenhagen & J. Dahmlos, Z. anorg. allgem. Chem. **178**, 272
 76 K. Fredenhagen & J. Dahmlos, Z. anorg. allgem. Chem. **179**, 77
 77 L. Hartshorn & D. A. Oliver, Proc. Roy. Soc. (London) **A123**, 664
 78 R. T. Lattey & O. Gatty, Phil. Mag. **7**, 985

- 79 N. Litvinoff & W. Litvinoff, Z. Physik **57**, 134
 80 Y. Matsuike, Proc. Imp. Acad. (Tokyo) **5**, 29
 81 C. P. Smyth & W. N. Stoops, J. Am. Chem. Soc. **51**, 3312
 82 C. P. Smyth & W. N. Stoops, J. Am. Chem. Soc. **51**, 3330
 83 P. Walden & L. Werner, Z. physik. Chem. **82**, 10
 84 K. L. Wolf, Z. physik. Chem. **82**, 39

1930

- 85 A. O. Ball, J. Chem. Soc. **1930**, 570
 86 L. M. Das & S. C. Roy, Indian J. Phys. **5**, 441
 87 D. Doborzynski, Z. Physik. **66**, 657
 88 R. W. Dornte & C. P. Smyth, J. Am. Chem. Soc. **52**, 3546
 89 F. H. Drake, G. W. Pierce & M. T. Dow, Phys. Rev. **35**, 613
 90 J. Errera & M. L. Sherrill, J. Am. Chem. Soc. **52**, 1993
 91 F. Hein & H. Schramm, Z. physik. Chem. **A149**, 408
 92 T. M. Lowry & G. Jessop, J. Chem. Soc. **1930**, 782
 93 J. C. McLennan, R. C. Jacobsen & J. O. Wilhelm, Trans. Roy. Soc. Can. **24**, 37
 94 S. O. Morgan & H. H. Lowry, J. Phys. Chem. **34**, 2385
 95 L. Rosenthal, Z. Physik **66**, 652
 96 C. P. Smyth & H. E. Rogers, J. Am. Chem. Soc. **52**, 1824
 97 C. P. Smyth & H. E. Rogers, J. Am. Chem. Soc. **52**, 2227
 98 J. W. Williams, J. Am. Chem. Soc. **52**, 1831
 99 J. Wyman, Phys. Rev. **35**, 623

1931

- 100 E. Bretscher, Physik. Z. **32**, 765
 101 R. M. Cone, G. H. Denison & J. D. Kemp, J. Am. Chem. Soc. **53**, 1278
 102 A. Crétien, Compt. rend. **192**, 1385
 103 W. E. Danforth, Phys. Rev. **38**, 1224
 104 E. H. Farmer & F. L. Warren, J. Chem. Soc. **1931**, 3221
 105 R. T. Lattey, O. Gatty & W. G. Davies, Phil. Mag. **12**, 1019
 106 E. P. Linton & O. Maass, J. Am. Chem. Soc. **53**, 957
 107 W. R. Pyle, Phys. Rev. **38**, 1057
 108 J. H. Simons & G. Jessop, J. Am. Chem. Soc. **53**, 1263
 109 C. P. Smyth & R. W. Dornte, J. Am. Chem. Soc. **53**, 545
 110 C. P. Smyth, R. W. Dornte & E. B. Wilson, J. Am. Chem. Soc. **53**, 4242
 111 J. Wyman, J. Am. Chem. Soc. **53**, 3292

1932

- 112 G. Åkerlöf, J. Am. Chem. Soc. **54**, 4125
 113 E. Bergmann & W. Schütz, Z. physik. Chem. **B19**, 395
 114 W. Graffunder & E. Heymann, Z. physik. Chem. **B15**, 377

1932—Continued

- 115 W. Haller & H. Ortloff, *Kolloid-Z.* **59**, 137
 116 L. M. Heil, *Phys. Rev.* **39**, 666
 117 A. Jagielski, *Bull. intern. acad. polon. sci., Classe sci. math. nat.* **A1932**, 327
 118 E. P. Linton & O. Maass, *J. Am. Chem. Soc.* **54**, 1863
 119 E. P. Linton & O. Maass, *Can. J. Research* **7**, 81
 120 T. M. Lowry & J. Hofton, *J. Chem. Soc.* **1932**, 207
 121 C. P. Smyth & W. S. Walls, *J. Am. Chem. Soc.* **54**, 3230
 122 C. P. Smyth & C. S. Hitchcock, *J. Am. Chem. Soc.* **54**, 4631
 123 H. Ulich & W. Nespital, *Z. physik. Chem.* **B16**, 221
 124 H. Ulich, E. Hertel & W. Nespital, *Z. physik. Chem.* **B17**, 369

1933

- 125 H. J. Curtis, *J. Chem. Phys.* **1**, 160
 126 S. Dobinski, *Z. Physik* **83**, 129
 127 F. Fairbrother, *J. Chem. Soc.* **1933**, 1541
 128 F. Fairbrother, *Proc. Roy. Soc. (London)* **A142**, 173
 129 E. H. Farmer & F. L. Warren, *J. Chem. Soc.* **1933**, 1297
 130 E. H. Farmer & F. L. Warren, *J. Chem. Soc.* **1933**, 1302
 131 P. Girard & P. Abadie, *Compt. rend.* **197**, 146
 132 F. Hein & H. Pauling, *Z. physik. Chem.* **A165**, 338
 133 K. Höjendahl, *Z. physik. Chem.* **B20**, 54
 134 J. D. Kemp & G. H. Denison, *J. Am. Chem. Soc.* **55**, 251
 135 G. N. Lewis, A. R. Olson & W. Maroney, *J. Am. Chem. Soc.* **55**, 4731
 136 J. L. Oncley & J. W. Williams, *Phys. Rev.* **43**, 341
 137 C. P. Smyth & C. S. Hitchcock, *J. Am. Chem. Soc.* **55**, 1830
 138 S. Sugden, *J. Chem. Soc.* **1933**, 768
 139 H. H. Uhlig, J. G. Kirkwood & F. G. Keyes, *J. Chem. Phys.* **1**, 155
 140 W. S. Walls & C. P. Smyth, *J. Chem. Phys.* **1**, 337

1934

- 141 F. Fairbrother, *J. Chem. Soc.* **1934**, 1846
 142 P. Girard, *Trans. Faraday Soc.* **30**, 763
 143 K. Higasi, *Sci. Papers, Inst. Phys. Chem. Research (Tokyo)* **24**, 57
 144 G. S. Hooper & C. A. Kraus, *J. Am. Chem. Soc.* **56**, 2265
 145 O. R. Howell & W. Jackson, *Proc. Roy. Soc. (London)* **A145**, 539
 146 H. O. Jenkins, *J. Chem. Soc.* **1934**, 480
 147 J. G. Miller, *J. Am. Chem. Soc.* **56**, 2360
 148 A. R. Olson & W. Maroney, *J. Am. Chem. Soc.* **56**, 1320

- 149 A. Piekara & B. Piekara, *Compt. rend.* **198**, 1018
 150 M. L. Sherrill, M. E. Smith & D. D. Thompson, *J. Am. Chem. Soc.* **56**, 611
 151 M. L. Sherrill, K. E. Mayer & G. F. Walter, *J. Am. Chem. Soc.* **56**, 926
 152 C. P. Smyth & C. S. Hitchcock, *J. Am. Chem. Soc.* **56**, 1084
 153 J. L. Snoek, *Physik. Z.* **35**, 196
 154 H. H. Wenzke & R. P. Allard, *J. Am. Chem. Soc.* **56**, 858

1935

- 155 M. V. Dover, *Ind. Eng. Chem.* **27**, 455
 156 D. Earp & S. Glasstone, *J. Chem. Soc.* **1935**, 1709
 157 C. Hennings, *Z. physik. Chem.* **B28**, 267
 158 C. G. Le Fevre, R. J. W. Le Fevre & K. W. Robertson, *J. Chem. Soc.* **1935**, 480
 159 R. J. W. Le Fevre, *J. Chem. Soc.* **1935**, 773
 160 C. G. Le Fevre & R. J. W. Le Fevre, *J. Chem. Soc.* **1935**, 1747
 161 J. Marsden & O. Maass, *Can. J. Research* **B13**, 296
 162 M. M. Otto & H. H. Wenzke, *J. Am. Chem. Soc.* **57**, 294
 163 M. G. A. Rau & S. S. Rao, *Proc. Indian Acad. Sci.* **2A**, 232
 164 W. J. Svirbely, J. E. Albard & J. C. Warner, *J. Am. Chem. Soc.* **57**, 652

1936

- 165 W. G. Bickford, *Iowa State Coll. J. Sci.* **11**, 35
 166 J. Bouchard, *J. chim. phys.* **33**, 127
 167 E. Briner, E. Perrottet, H. Paillard & B. Susz, *Helv. Chim. Acta* **19**, 1354
 168 E. G. Cowley & J. R. Partington, *J. Chem. Soc.* **1936**, 1184
 169 R. M. Davies, *Phil. Mag.* **21**, 1
 170 R. M. Davies, *Phil. Mag.* **21**, 1008
 171 R. Freymann, *Compt. rend.* **202**, 952
 172 G. Glockler & R. E. Peck, *J. Chem. Phys.* **4**, 624
 173 G. Glockler & R. E. Peck, *J. Chem. Phys.* **4**, 658
 174 R. C. Gore & H. T. Briscoe, *J. Phys. Chem.* **40**, 619
 175 H. M. Grubb, J. E. Chittum & H. Hunt, *J. Am. Chem. Soc.* **58**, 776
 176 A. Jagielski, *Bull. intern. acad. polon. sci., Classe sci. math. nat.* **A1936**, 451
 177 E. Keutner, *Ann. Physik* **27**, 29
 178 C. G. Le Fevre & R. J. W. Le Fevre, *J. Chem. Soc.* **1936**, 487
 179 R. J. W. Le Fevre & P. Russell, *J. Chem. Soc.* **1936**, 496
 180 S. A. McNeight & C. P. Smyth, *J. Am. Chem. Soc.* **58**, 1718
 181 B. Piekara, *Physik. Z.* **37**, 624
 182 C. P. Smyth & S. A. McNeight, *J. Am. Chem. Soc.* **58**, 1597
 183 C. P. Smyth & S. A. McNeight, *J. Am. Chem. Soc.* **58**, 1723
 184 H. G. Trieschmann, *Z. physik. Chem.* **B33**, 283

1937

- 185 P. S. Albright, J. Am. Chem. Soc. **59**, 2098
 186 E. Briner, E. Perrottet, H. Paillard & B. Susz, Helv. Chim. Acta **20**, 762
 187 I. E. Coop, Trans. Faraday Soc. **33**, 583
 188 E. G. Cowley & J. R. Partington, J. Chem. Soc. **1937**, 130
 189 F. R. Goss, J. Chem. Soc. **1937**, 1915
 190 J. Hadamard, Compt. rend. **204**, 1234
 191 K. Higasi & M. Kubo, Bull. Chem. Soc. Japan **12**, 326
 192 K. Hrynakowski & A. Zochowski, Ber. **70B**, 1739
 193 E. Kanda, Bull. Chem. Soc. Japan **12**, 473
 194 A. R. Martin, Trans. Faraday Soc. **33**, 191
 195 A. Müller, Proc. Roy. Soc. (London) **A158**, 403
 196 F. H. Müller, Physik. Z. **38**, 283
 197 A. Smits & N. F. Moerman, Rec. trav. chim. **56**, 169
 198 G. Thomas, J. Chem. Soc. **1937**, 1051
 199 A. H. White & S. O. Morgan, J. Chem. Phys. **5**, 655
 200 A. A. Zuehlke & L. R. Ingersoll, J. Opt. Soc. Am. **27**, 314

1938

- 201 W. O. Baker, & C. P. Smyth, J. Am. Chem. Soc. **60**, 1229
 202 E. Bergmann & A. Weizmann, J. Am. Chem. Soc. **60**, 1801
 203 M. Beyaert & F. Govaert, Natuurw. Tijdschr. **20**, 119
 204 R. Guillien, Compt. rend. **206**, 1001
 205 R. Guillien, Compt. rend. **207**, 393
 206 D. L. Hammick, A. Norris & L. E. Sutton, J. Chem. Soc. **1938**, 1755
 207 R. J. W. Le Fevre, Trans. Faraday Soc. **34**, 1127
 208 G. R. Paranjpe & D. J. Davar, Indian J. Phys. **12**, 283
 209 J. Wesolowski, Bull. intern. acad. polon. sci., Classe sci. math. nat. **A1938**, 290
 210 J. Wyman & E. N. Ingalls, J. Am. Chem. Soc. **60**, 1182

1939

- 211 W. O. Baker & C. P. Smyth, J. Am. Chem. Soc. **61**, 1695
 212 W. O. Baker & C. P. Smyth, J. Am. Chem. Soc. **61**, 2063
 213 W. O. Baker & C. P. Smyth, J. Am. Chem. Soc. **61**, 2798
 214 B. V. Bhide & R. D. Bhide, J. Univ. Bombay **8**, 220
 215 E. Briner, K. Ryffel & E. Perrottet, Helv. Chim. Acta **22**, 927
 216 E. Briner, A. Gelbert & E. Perrottet, Helv. Chim. Acta **22**, 1491
 217 J. B. M. Coppock & F. R. Goss, J. Chem. Soc. **1939**, 1789
 218 R. M. Davies & T. T. Jones, Phil. Mag. **28**, 307
 219 R. M. Fuoss, J. Am. Chem. Soc. **61**, 2334
 220 R. Guillien, Rev. sci. **77**, 575

- 221 S. Kambara, J. Soc. Chem. Ind. Japan **62** (suppl.), 314
 222 R. G. Larson & H. Hunt, J. Phys. Chem. **43**, 417
 223 G. L. Lewis & C. P. Smyth, J. Chem. Phys. **7**, 1085
 224 G. L. Lewis & C. P. Smyth, J. Am. Chem. Soc. **61**, 3063
 225 G. L. Lewis & C. P. Smyth, J. Am. Chem. Soc. **61**, 3067
 226 V. A. Plotnikov, I. A. Sheka & Z. A. Yankelevich, J. Gen. Chem. (U.S.S.R.) **9**, 868
 227 R. E. Wood & R. G. Dickinson, J. Am. Chem. Soc. **61**, 3259

1940

- 228 F. R. Goss, J. Chem. Soc. **1940**, 752
 229 R. Guillien, J. phys. radium **1**, 29
 230 W. D. Kumler, J. Am. Chem. Soc. **62**, 3292
 231 E. P. Linton, J. Am. Chem. Soc. **62**, 1945
 232 S. O. Morgan & W. A. Yager, Ind. Eng. Chem. **32**, 1519
 233 W. H. Rodebush, C. R. Eddy & L. D. Eubank, J. Chem. Phys. **8**, 889
 234 A. Turkevich & C. P. Smyth, J. Am. Chem. Soc. **62**, 2468
 235 M. P. Volarovich & N. M. Stepanenko, Acta Physicochim. U.R.S.S. **13**, 647
 236 Y. L. Wang, Z. physik. Chem. **B45**, 323
 237 A. H. White & W. S. Bishop, J. Am. Chem. Soc. **62**, 8
 238 S. Winstein & R. E. Wood, J. Am. Chem. Soc. **62**, 548

1941

- 239 K. N. Campbell & L. T. Eby, J. Am. Chem. Soc. **63**, 216
 240 R. H. Cole, J. Chem. Phys. **9**, 251
 240a L. A. Skinner, Dissertation, Duke Univ., Durham, N. C.
 241 C. E. Waring, E. E. Kern & W. A. Blann, J. Am. Chem. Soc. **63**, 1767

1942

- 242 A. Audsley & F. R. Goss, J. Chem. Soc. **1942**, 358
 243 A. Audsley & F. R. Goss, J. Chem. Soc. **1942**, 497
 244 L. J. de Kreuk, Rec. trav. chim. **61**, 819
 245 J. G. Miller, J. Am. Chem. Soc. **64**, 117
 246 S. Sambursky & G. Wolfsohn, Phys. Rev. **62**, 357
 247 A. Turkevich & C. P. Smyth, J. Am. Chem. Soc. **64**, 737
 248 A. E. van Arkel, P. Meerbburg & C. R. v.d. Handel, Rec. trav. chim. **61**, 767
 249 D. A. van Itterbeek & J. Spaepen, Physica **9**, 339

1943

- 250 H. J. Backer & W. G. Perdok, Rec. trav. chim. **62**, 533
 251 J. Clay, A. J. Dekker & J. Hemelrijck, Physica **10**, 768

1943—Continued

- 252 J. A. A. Ketelaar, Rec. trav. chim. 62, 289
 253 Y. R. Naves & P. Bachmann, Helv. Chim. Acta 26, 2151
 254 I. Watanabe, S. Midzushima & Y. Masiko, Sci. Papers Inst. Phys. Chem. Research (Tokyo) 40, 425

1944

- 255 G. E. Coates & J. E. Coates, J. Chem. Soc. 1944, 77
 255a C. H. Deal, Dissertation, Duke Univ., Durham, N. C.
 256 W. Hückel & U. Wenzke, Z. physik. Chem. A193, 132
 257 T. L. Jacobs, J. D. Roberts & W. G. MacMillan, J. Am. Chem. Soc. 66, 656

1945

- 258 B. C. Curran, J. Am. Chem. Soc. 67, 1835
 259 F. Fairbrother, J. Chem. Soc. 1945, 503
 260 S. R. Phadke, S. D. Gokhale, N. L. Phalnikar & B. V. Bhide, J. Indian Chem. Soc. 22, 235
 261 S. R. Phadke, N. L. Phalnikar & B. V. Bhide, J. Indian Chem. Soc. 22, 239
 262 N. Stepanenko & T. Novikova, Acta Physicochim. U.R.S.S. 20, 653
 263 A. A. Vernon, J. Wyman & R. A. Avery, J. Am. Chem. Soc. 67, 1422

1946

- 264 P. S. Albright & L. J. Gosting, J. Am. Chem. Soc. 68, 1061
 264a R. J. W. Le Fevre and P. Russell, J. Chem. Soc. 1946, 496
 265 K. Højendahl, Kgl. Danske Videnskab. Selskab, Mat-fys. Medd. 24, No. 2
 266 R. O. Sauer & D. J. Mead, J. Am. Chem. Soc. 68, 1794

1947

- 267 M. A. Elliott, A. R. Jones & L. B. Lockhart, Anal. Chem. 19, 10
 267a J. A. A. Ketelaar, P. F. van Velden, & P. Zalm, Rec. trav. chim. 66, 721
 268 R. J. Le Fevre & P. Russell, Trans. Faraday Soc. 43, 374
 269 A. H. Sharbaugh, H. C. Eckstrom & C. A. Kraus, J. Chem. Phys. 15, 54
 270 E. N. Vasenko, J. Phys. Chem. (U.S.S.R.) 21, 361

1948

- 271 F. Fairbrother, J. Chem. Soc. 1948, 1051
 272 W. A. Heston, E. T. Hennelly & C. P. Smyth., Technical Report No. 10, ONR Contract N6ori-105, TASK ORDER IV; also J. Am. Chem. Soc. 72, 2071 (1950)
 273 L. Mouradoff-Fouquet, Compt. rend. 226, 1970

- 274 M. B. Reynolds & C. A. Kraus, J. Am. Chem. Soc. 70, 1709
 275 W. F. Seyer & G. M. Barrow, J. Am. Chem. Soc. 70, 802
 276 A. N. Shidlovskaya & Y. K. Syrkin, J. Phys. Chem. (U.S.S.R.) 22, 913
 277 H. A. Strobel & H. C. Eckstrom, J. Chem. Phys. 16, 817
 278 H. A. Strobel & H. C. Eckstrom, J. Chem. Phys. 16, 827
 279 A. von Hippel, Tables of Dielectric Materials, Vol. III. Technical Report No. X. Laboratory for Insulation Research, Massachusetts Institute of Technology, Cambridge, Mass.

1949

- 280 G. D. Burdum & P. B. Kantor, Doklady Akad. Nauk S.S.R. 67, 985
 281 J. D. Hoffman & C. P. Smyth, J. Am. Chem. Soc. 71, 431
 282 W. J. Jacober & C. A. Kraus, J. Am. Chem. Soc. 71, 2405
 283 H. Lumbruso, Compt. rend. 228, 77
 283a F. van der Maesen, Physica 15, 481

1950

- 284 G. C. Akerlof & H. I. Oshry, J. Am. Chem. Soc. 72, 2844
 285 G. A. Barclay & R. J. W. Le Fevre, J. Chem. Soc. 1950, 556
 286 R. W. Crowe & C. P. Smyth, J. Am. Chem. Soc. 72, 1098
 287 R. W. Crowe & C. P. Smyth, J. Am. Chem. Soc. 72, 4427
 288 R. W. Crowe & C. P. Smyth, J. Am. Chem. Soc. 72, 5281
 289 C. Dodd & G. N. Roberts, Proc. Phys. Soc. (London) 66B, 814
 290 C. J. Grebenkemper & J. P. Hagen, Phys. Rev. 80, 89
 291 P. M. Gross, Jr. & R. C. Taylor, J. Am. Chem. Soc. 72, 2075
 292 W. M. Heston & C. P. Smyth, J. Am. Chem. Soc. 72, 99
 293 J. D. Hoffman & C. P. Smyth, J. Am. Chem. Soc. 72, 171
 294 R. J. W. Le Fevre & I. G. Ross, J. Chem. Soc. 1950, 283
 295 C. G. Malmberg & A. A. Maryott (Unpublished data, Nat'l Bur. Standards)
 296 J. G. Powles, Compt. rend. 230, 836
 297 J. H. Simons & K. H. Lorentzen, J. Am. Chem. Soc. 72, 1426
 298 Unpublished data cited by J. Timmermans, Physico-chemical Properties of Pure Organic Compounds (Elsevier Publishing Company, Inc., New York, N. Y., 1950).
 299 A. L. Vierk, Z. anorg. Chem. 261, 283